

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:43:48****1 of 60.** Which statement accurately describes an aspect of promises?

- A. ☐ In a `.then()` function, returning results is not necessary since callbacks will catch the result of a previous promise.
- B. ☒ Arguments for the callback function passed to `.then()` are optional.
- C. ☐ `.then()` manipulates and returns the original promise.
- D. ☐ `.then()` cannot be added after a `catch`.

☐ Mark this item for later review.

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:43:44****2 of 60.** Given the following code:

```
01 let x = null;  
02 console.log(typeof x);
```

What is the output of line 02?

- A. ☐ "x"
- B. ☐ "undefined"
- C. ☐ "null"
- D. ☒ "object"

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:43:33

3 of 60. Refer to the following code:

```
01 <html lang="en">
02   <body>
03     <span onclick="console.log('Span message');">
04       <button id="myButton">Send message!</button>
05     </span>
06   </body>
07 <script>
08   function displayMessage(ev) {
09     ev.stopPropagation();
10     console.log('Button message');
11   }
12   const elem = document.getElementById('myButton');
13   elem.addEventListener('click', displayMessage);
14 </script>
15 </html>
```

What will the console show when the button is clicked?

- A. ☐ Button message
- B. ☐ Button message
Span message
- C. ☐ Span message
- D. ☒ Span message
Button message

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:43:25**

- 4 of 60.** Universal Containers recently launched its new landing page to host a crowd-funding campaign. The page uses an external library to display some third-party ads. Once the page is fully loaded, it creates more than 50 new HTML items placed randomly inside the DOM, like the one in the code below:

```
<!-- This is an ad -->
<div class="ad-library-item ad-hidden" onload="myFunction()">
  
</div>
```

All the elements include the same `ad-library-item` class. They are hidden by default, and they are randomly displayed while the user navigates through the page.

Tired of all the ads, what can the developer do to temporarily and quickly remove them?

- A. ☒ Use the browser console to execute a script that removes all the elements containing the class `ad-library-item`.
- B. ☐ Use the DOM inspector to remove all the elements containing the class `ad-library-item`.
- C. ☐ Use the DOM inspector to prevent the `load` event to be fired.
- D. ☐ Use the browser console to execute a script that prevents the `load` event to be fired.

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



5 of 60. Refer to the following code block:

```
01 class Animal {  
02   constructor(name) {  
03     this.name = name;  
04   }  
05  
06   makeSound() {  
07     console.log(`${this.name} is making a sound.`);  
08   }  
09 }  
10  
11 class Dog extends Animal {  
12   constructor(name) {  
13     super(name);  
14     this.name = name;  
15   }  
16   makeSound() {  
17     console.log(`${this.name} is barking.`);  
18   }  
19 }  
20  
21 let myDog = new Dog('Puppy');  
22 myDog.makeSound();
```

What is the console output?

- A. ☐ > Puppy is making a sound.
B. ☒ > Puppy is barking.
C. ☐ > Uncaught ReferenceError
D. ☐ > Undefined

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:43:02****6 of 60.** Which statement can a developer apply to increment the browser's navigation history without a page refresh?

- A. ☐ `window.history.pushState(newStateObject);`
- B. ☐ `window.history.pushState(newStateObject, '', null);`
- C. ☒ `window.history.replaceState(newStateObject, '', null);`
- D. ☐ `window.history.state.push(newStateObject);`

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0

**Salesforce Certified JavaScript Developer I - Multiple Choice****Time Remaining : 00:42:57**

7 of 60. A test has a dependency on `database.query`. During the test the dependency is replaced with an object called `database` with the method, `query`, that returns an array. The developer needs to verify how many times the method was called and the arguments used each time.

Which two test approaches describe the requirement?

Choose 2 answers

- A. ☐ Integration
- B. ☒ Mocking
- C. ☐ Black box
- D. ☒ White box

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:53**

8 of 60. A developer has an `isDog` function that takes one argument, `pet`. They want to schedule the function to run every minute.

What is the correct syntax for scheduling this function?

- A. ☐ `setTimeout(isDog, 60000, 'cat');`
- B. ☐ `setTimeout(isDog('cat'), 60000);`
- C. ☐ `setInterval(isDog('cat'), 60000);`
- D. ☒ `setInterval(isDog, 60000, 'cat');`

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:48****9 of 60.** A developer uses the code below to format a date.

```
01 const date = new Date(2020, 11, 10);  
02 const dateDisplayOptions = {  
03   year: 'numeric',  
04   month: 'long',  
05   day: 'numeric'  
06 };  
07  
08 const formattedDate = date.toLocaleDateString('en', dateDisplayOptions);
```

After executing, what is the value of `formattedDate`?

- A. ☐ November 10, 2020
- B. ☐ October 11, 2020
- C. ☐ November 11, 2020
- D. ☒ December 10, 2020

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:44****10 of 60.** Refer to the code below:

```
01 const server = require('server');  
02  
03 // Insert code here
```

A developer imports a library that creates a web server. The imported library uses events and callbacks to start the server.

Which code should be inserted at line 03 to set up an event and start the web server?

- A. ☐ `server();`
- B. ☐ `server((port) => {
 console.log('Listening on', port);
});`
- C. ☒ `server.on('connect', (port) => {
 console.log('Listening on', port);
});`
- D. ☐ `server.start();`

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:42:37

11 of 60. Refer to the code below:

```
01 const objBook = {  
02   title: 'JavaScript',  
03 };  
04 Object.preventExtensions(objBook);  
05 const newObjBook = objBook;  
06 newObjBook.author = 'Robert';
```

What are the values of objBook and newObjBook respectively?

- A. ☐ { author: "Robert" }
 { author: "Robert", title: "JavaScript" }
- B. ☐ { author: "Robert", title: "JavaScript" }
 { author: "Robert", title: "JavaScript" }
- C. ☒ { title: "JavaScript" }
 { title: "JavaScript" }
- D. ☐ { author: "Robert", title: "JavaScript" }
 undefined

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:42:33

12 of 60. A developer wants to create an object from a function in the browser using the code below.

```
01 function Monster(){ this.name = 'hello' };  
02 const m = Monster();
```

What happens due to the lack of the `new` keyword on line 02?

- A. ☐ The `m` variable is assigned the correct object but `this.name` remains undefined.
- B. ☒ `window.name` is assigned to 'hello' and the variable `m` remains undefined.
- C. ☐ The `m` variable is assigned the correct object.
- D. ☐ `window.m` is assigned the correct object.

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:27****13 of 60.** Refer to the code below:

```
01 console.log('Start');  
02 Promise.resolve('Success').then(function(value) {  
03   console.log('Success');  
04 });  
05 console.log('End');
```

What is the output after the code executes successfully?

- A. ☐ Success
Start
End
- B. ☒ Start
End
Success
- C. ☐ End
Start
Success
- D. ☐ Start
Success
End

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:21**

14 of 60. A developer is creating a simple webpage with a button. When a user clicks this button for the first time, a message is displayed.

The developer wrote the JavaScript code below, but something is missing. The message gets displayed every time a user clicks the button, instead of just the first time.

```
01 function listen(event) {  
02  
03   alert('Hey! I am John Doe');  
04  
05 }  
06 button.addEventListener('click', listen);
```

Which two code lines make this code work as required?

Choose 2 answers

- A. ☐ On line 02, use `event.first` to test if it is the first execution.
- B. ☐ On line 04, use `event.stopPropagation();`
- C. ☒ On line 06, add an option called `once` to `button.addEventListener()`.
- D. ☒ On line 04, use `button.removeEventListener('click', listen);`

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:13****15 of 60.** Refer to the code below:

```
const pi = 3.1415926;
```

What is the data type of `pi`?

- A. ☒ Number
B. ☐ Float
C. ☐ Decimal
D. ☐ Double

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:08****16 of 60.** Refer to the code below:

```
01 new Promise((resolve, reject) => {  
02   const fraction = Math.random();  
03   if (fraction > 0.5) reject('fraction > 0.5, ' + fraction);  
04   resolve(fraction);  
05 })  
06 .then(() => console.log('resolved'))  
07 .catch((error) => console.error(error))  
08 .finally(() => console.log('when am I called?'));
```

When does `Promise.finally` on line 08 get called?

- A. ☐ When rejected
- B. ☐ When resolved
- C. ☐ When resolved and settled
- D. ☒ When resolved or rejected

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:42:03****17 of 60.** Given the code below:

```
01 function Person() {  
02   this.firstName = 'John';  
03 }  
04  
05 Person.prototype = {  
06   job: x => 'Developer'  
07 };  
08  
09 const myFather = new Person();  
10 const result = myFather.firstName + ' ' + myFather.job();
```

What is the value of result when line 10 executes?

- A. ☐ John Developer
B. ☐ John undefined
C. ☒ Error: myFather.job is not a function
D. ☐ undefined Developer

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:41:56****18 of 60.** A developer has an `ErrorHandler` module that contains multiple functions.

What kind of export should be leveraged so that multiple functions can be used?

- A. ☐ default
- B. ☒ named
- C. ☐ all
- D. ☐ multi

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:41:52

19 of 60. A developer is asked to fix some bugs reported by users. To do that, the developer adds a breakpoint for debugging.

```
01 function Car(maxSpeed, color){
02   this.maxSpeed = maxSpeed;
03   this.color = color;
04 }
05 let carSpeed = document.getElementById('carSpeed');
06 debugger;
07 let fourWheels = new Car(carSpeed.value, 'red');
```

When the code execution stops at the breakpoint on line 06, which two types of information are available in the browser console?

Choose 2 answers

- A. ☒ The style, event listeners and other attributes applied to the carSpeed DOM element
- B. ☐ The values of the carSpeed and fourWheels variables
- C. ☐ A variable displaying the number of instances created for the Car object
- D. ☒ The information stored in the window.localStorage property

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:41:46**

20 of 60. Cloud Kicks has a class to represent shoes for sale in an online store, as shown below:

```
01 class Shoe {  
02   constructor(name, price) {  
03     this.name = name;  
04     this.price = price;  
05   }  
06  
07   formattedPrice() {  
08     return '$' + String(this.price);  
09   }  
10 }
```

A new business requirement comes in that requests a `Sneaker` class, that should have all of the properties and methods of the `Shoe` class, but will also have properties that are specific to sneakers.

Which line of code properly declares the `Sneaker` class such that it inherits from `Shoe`?

- A. ☐ `class Shoe extends Sneaker {`
- B. ☐ `class Sneaker implements Shoe {`
- C. ☐ `class Sneaker {`
- D. ☒ `class Sneaker extends Shoe {`

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:41:35

21 of 60. Refer to the code below:

```
01 <html lang="en">
02   <table onclick="console.log('Table log');">
03     <tr id="row1">
04       <td>Click me!</td>
05     </tr>
06   </table>
07   <script>
08     function printMessage(event) {
09       console.log('Row log');
10     }
11
12     let elem = document.getElementById('row1');
13     elem.addEventListener('click', printMessage, false);
14   </script>
15 </html>
```

Which code change should be made for the console to log only Row log when 'Click me!' is clicked?

- A. ☐ Add event.removeEventListener(); to window.onLoad event handler.
- B. ☒ Add event.stopPropagation(); to printMessage function.
- C. ☐ Add event.removeEventListener(); to printMessage function.
- D. ☐ Add event.stopPropagation(); to window.onLoad event handler.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:41:23

- 22 of 60. A developer creates a new web server that uses Node.js. It imports a server library that uses events and callbacks for handling server functionality.

The server library is imported with `require` and is made available to the code by a variable named `server`. The developer wants to log any issues that the server has while booting up.

Given the code and the information the developer has, which code logs an error at boot time with an event?

- A. ☐ 01 `server.error((error) => {`
02 `console.log('ERROR', error);`
03 `});`
- B. ☒ 01 `server.on('error', (error) => {`
02 `console.log('ERROR', error);`
03 `});`
- C. ☐ 01 `try {`
02 `server.start();`
03 `} catch(error) {`
04 `console.log('ERROR', error);`
05 `}`
- D. ☐ 01 `server.catch((error) => {`
02 `console.log('ERROR', error);`
03 `});`

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:41:16****23 of 60.** The developer wants to test this code:

```
const stringifyNumber = (num) => Number(num).toString();
```

Which two tests are the most accurate for this code?

Choose 2 answers

- A. ☐ `console.assert(stringifyNumber('') == '0' )`
- B. ☐ `console.assert(typeof stringifyNumber(2) === 'string')`
- C. ☒ `console.assert(stringifyNumber(-2) === '-2')`
- D. ☒ `console.assert(stringifyNumber() === 'NaN')`

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:41:11****24 of 60.** Given the HTML below:

```
<div>
  <div id="row-uc">Universal Containers</div>
  <div id="row-as">Applied Shipping</div>
  <div id="row-bt">Burlington Textiles</div>
</div>
```

Which statement adds the priority-account CSS class to the Applied Shipping row?

- A. ☐ document.querySelectorAll('#row-as').classList.add('priority-account');
- B. ☒ document.getElementById('row-as').addClass('priority-account');
- C. ☐ document.querySelector('#row-as').classes.push('priority-account');
- D. ☐ document.querySelector('#row-as').classList.add('priority-account');

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:41:07**

25 of 60. A developer needs to debug a Node.js web server because a runtime error keeps occurring at one of the endpoints.

The developer wants to test the endpoint on a local machine and make the request against a local server to look at the behavior. In the source code, the `server.js` file will start the server. The developer wants to debug the Node.js server only using the terminal.

Which command can the developer use to open the CLI debugger in their current terminal window?

- A. ☒ `node inspect server.js`
- B. ☐ `node -i server.js`
- C. ☐ `node start inspect server.js`
- D. ☐ `node server.js --inspect`

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:41:03****26 of 60.** Given the code below:

```
const copy = JSON.stringify([new String('false'), new Boolean(false), undefined]);
```

What is the value of *copy*?

- A. ☒ "[\"false\", false, null]"
- B. ☐ "[\"false\", {}]"
- C. ☐ "[false, {}]"
- D. ☐ "[\"false\", false, undefined]"

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

**Salesforce Certified JavaScript Developer I - Multiple Choice****Time Remaining : 00:40:54****27 of 60.** Refer to the code below:

```
01 let first = 'Who';
02 let second = 'What';
03 try {
04   try {
05     throw new Error('Sad trombone');
06   } catch (err) {
07     first = 'Why';
08     throw err;
09   } finally {
10     second = 'When';
11   }
12 } catch (err) {
13   second = 'Where';
14 }
```

What are the values for `first` and `second` once the code executes?

- A. ☐ `first` is Who and `second` is Where.
- B. ☐ `first` is Why and `second` is Where.
- C. ☒ `first` is Why and `second` is When.
- D. ☐ `first` is Who and `second` is When.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:40:40

28 of 60. Refer to the following code block:

```
01 let array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11];
02 let output = 0;
03
04 for (let num of array) {
05   if (output > 10) {
06     break;
07   }
08   if (num % 2 == 0) {
09     continue;
10   }
11   output += num;
12 }
```

What is the value of output after the code executes?

- A. ☒ 16
- B. ☐ 25
- C. ☐ 11
- D. ☐ 36

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:40:36****29 of 60.** Which option is a core Node.js module?

- A. ☐ locale
- B. ☒ path
- C. ☐ memory
- D. ☐ ios

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:40:32**

30 of 60. A developer wants to use a module named `universalContainersLib` and then call functions from it.

How should a developer import every function from the module and then call the functions `foo` and `bar`?

- A. ☒ `import * as lib from '/path/universalContainersLib.js';`
`lib.foo();`
`lib.bar();`
- B. ☐ `import {foo,bar} from '/path/universalContainersLib.js';`
`foo();`
`bar();`
- C. ☐ `import all from '/path/universalContainersLib.js';`
`universalContainersLib.foo();`
`universalContainersLib.bar();`
- D. ☐ `import * from '/path/universalContainersLib.js';`
`universalContainersLib.foo();`
`universalContainersLib.bar();`

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:40:24****31 of 60.** Refer to the code below:

```
let inArray = [ [1,2] , [3,4,5] ];
```

Which two statements result in the array [1, 2, 3, 4, 5]?

Choose 2 answers

- A. ☒ [].concat.apply(inArray, []);
- B. ☐ [].concat.apply([], inArray);
- C. ☒ [].concat(...inArray);
- D. ☐ [].concat([...inArray]);

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:40:20****32 of 60.** Refer to the code below:

```
01 document.body.addEventListener('click', (event) => {  
02   if (/* ANSWER HERE */) {  
03     console.log('myElement clicked!');  
04   }  
05 });
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a specific element, `myElement`, on the page had been clicked?

- A. ☐ `button.addEventListener('click', 'myElement')`
- B. ☒ `event.target.id == 'myElement'`
- C. ☐ `myElement.clicked`
- D. ☐ `e.nodeTarget == myElement`

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:40:16****33 of 60.** Given the code below:

```
01 setCurrentUrl();  
02 console.log('The current URL is: ' + url);  
03  
04 function setCurrentUrl() {  
05     url = window.location.href;  
06 }
```

What happens when the code executes?

- A. ☐ The url variable has local scope and line 02 executes correctly.
- B. ☐ The url variable has global scope and line 02 throws an error.
- C. ☐ The url variable has local scope and line 02 throws an error.
- D. ☒ The url variable has global scope and line 02 executes correctly.

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:40:13**

34 of 60. A team that works on a big project uses `npm` to deal with the project's dependencies.

A developer added a dependency to manipulate dates and pushed the updates to the remote repository. The rest of the team complains that the dependency does not get downloaded when they execute `npm install`.

Which two reasons could be possible explanations for this?

Choose 2 answers

- A. ☒ The developer added the dependency as a dev dependency, and `NODE_ENV` is set to `production`.
- B. ☒ The developer missed the option `--save` when adding the dependency.
- C. ☐ The developer added the dependency as a dev dependency, and `NPM_ENV` is set to `production`.
- D. ☐ The developer missed the option `--add` when adding the dependency.

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:40:08**

35 of 60. Universal Containers (UC) notices that its application that allows users to search for accounts makes a network request each time a key is pressed. This results in too many requests for the server to handle.

To address this problem, UC decides to implement a `debounce` function on the search string change handler.

What are three key steps to implement this `debounce` function?

Choose 3 answers

- A. ☐ If there is an existing `setTimeout` and the search string changes, cancel the existing `setTimeout` using the persisted `timerId` and replace it with a new `setTimeout`.
- B. ☒ When the search string changes, enqueue the request within a `setTimeout`.
- C. ☐ Store the `timerId` of the `setTimeout` last enqueued by the search string change handler.
- D. ☒ Ensure that the network request has the property `debounce` set to `true`.
- E. ☒ If there is an existing `setTimeout` and the search string changes, allow the existing `setTimeout` to finish, and do not enqueue a new `setTimeout`.

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:40:05

36 of 60. Refer to the code below:

```
01 let sayHello = () => {  
02   console.log('Hello, World!');  
03 };
```

Which option executes sayHello once every two minutes?

- A. ☒ setTimeout(sayHello, 120000);
- B. ☐ delay(sayHello, 120000);
- C. ☐ setTimeout(sayHello(), 120000);
- D. ☐ setInterval(sayHello, 120000);

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:40:00

- 37 of 60. A developer is required to write a function that calculates the sum of elements in an array but is getting undefined every time the code is executed. The developer needs to find what is missing in the code below.

```
01 const sumFunction = arr => {  
02   return arr.reduce((result, current) => {  
03     //  
04     result += current;  
05     //  
06   }, 10);  
07 };
```

Which line replacement makes the code work as expected?

- A. ☐ 02 return arr.forEach((result, current) => {
B. ☐ 03 if(arr.length == 0) { return 0; }
C. ☐ 04 current = result + current;
D. ☒ 05 return result;

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:39:55****38 of 60.** Considering type coercion, What does the following expression evaluate to?`true + 3 + '100' + null`

- A. ☐ 104
B. ☐ 4100
C. ☐ '3100null'
D. ☒ '4100null'

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:39:46

39 of 60. A developer implements a function that adds a few values.

```
01 function sum(num) {  
02   if (num === undefined) {  
03     num = 0;  
04   }  
05   return function(num2, num3) {  
06     if (num3 === undefined) {  
07       num3 = 0;  
08     }  
09     return num + num2 + num3;  
10   }  
11 }
```

Which three options can the developer invoke for this function to get a return value of 10?

Choose 3 answers

- A. ☐ sum(10) ()
- B. ☒ sum() (5, 5)
- C. ☒ sum(5) (5)
- D. ☒ sum() (10)
- E. ☐ sum(5, 5) ()

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:39:37

40 of 60. Given the code below:

```
01 const delay = async delay => {  
02   return new Promise((resolve, reject) => {  
03     console.log(1);  
04     setTimeout(resolve, delay);  
05   });  
06 };  
07  
08 const callDelay = async () => {  
09   console.log(2);  
10   const yup = await delay(1000);  
11   console.log(3);  
12 };  
13  
14 console.log(4);  
15 callDelay();  
16 console.log(5);
```

What is logged to the console?

- A. ☐ 1 4 2 3 5
B. ☐ 4 2 1 3 5
C. ☒ 4 2 1 5 3
D. ☐ 4 5 1 2 3

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:39:30

41 of 60. A developer wrote the following code to test a `sum3` function that takes in an array of numbers and returns the sum of the first three numbers in the array, and the test passes.

```
01 let res = sum3([1, 4, 1]);
02 console.assert(res === 6);
03
04 res = sum3([1, 5, 0, 5]);
05 console.assert(res === 6);
```

A different developer made changes to the behavior of `sum3` to instead sum only the first two numbers present in the array.

Which two results occur when running this test on the updated `sum3` function?

Choose 2 answers

- A. ☒ The line 05 assertion fails.
- B. ☒ The line 02 assertion passes.
- C. ☐ The line 05 assertion passes.
- D. ☐ The line 02 assertion fails.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:39:24

42 of 60. Refer to the code below:

```
01 let car1 = new Promise(_, reject) =>  
02   setTimeout(reject, 2000, "Car 1 crashed in");  
03 let car2 = new Promise(resolve => setTimeout(resolve, 1500, "Car 2 completed"));  
04 let car3 = new Promise(resolve => setTimeout(resolve, 3000, "Car 3 completed"));  
05  
06 Promise.race([car1, car2, car3])  
07   .then(value => {  
08     let result = `${value} the race.`;  
09   })  
10   .catch(err => {  
11     console.log("Race is cancelled.", err);  
12   });
```

What is the value of result when Promise.race executes?

- A. ☐ Race is cancelled.
- B. ☐ Car 1 crashed in the race.
- C. ☐ Car 3 completed the race.
- D. ☒ Car 2 completed the race.

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back Next > Review All Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:39:19****43 of 60.** Which two console logs output NaN?

Choose 2 answers

- A. ☒ `console.log(10 / 'five');`
B. ☒ `console.log(parseInt('two'));`
C. ☐ `console.log(10 / 0);`
D. ☐ `console.log(10 / Number('5'));`

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



Time Remaining : 00:39:09

44 of 60. Refer to the following code:

```
01 function Tiger() {  
02   this.type = 'Cat';  
03   this.size = 'large';  
04 }  
05  
06 let tony = new Tiger();  
07 tony.roar = () => {  
08   console.log('They\'re great!');  
09 };  
10  
11 function Lion() {  
12   this.type = 'Cat';  
13   this.size = 'large';  
14 }  
15  
16 let leo = new Lion();  
17 // Insert code here  
18 leo.roar();
```

Which two statements could be inserted at line 17 to enable the function call on line 18?

Choose 2 answers

- A. ☒ leo.roar = () => { console.log('They\'re pretty good!'); };
- B. ☐ leo.prototype.roar = () => { console.log('They\'re pretty good!'); };
- C. ☐ Object.assign(leo, Tiger);
- D. ☒ Object.assign(leo, tony);

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:39:02**

45 of 60. A developer has the function, shown below, that is called when a page loads.

```
function onLoad() {  
    console.log("Page has loaded!");  
}
```

Where can the developer see the log statement after loading the page in the browser?

- A. ☐ Terminal running the web server
- B. ☒ Browser JavaScript console
- C. ☐ On the webpage
- D. ☐ Browser performance tools

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:38:57

- 46 of 60. A developer creates a class that represents a news story based on the requirements that a Story should have a body, author, and view count. The code is shown below:

```
01 class Story {  
02   // Insert code here  
03   this.body = body;  
04   this.author = author;  
05   this.viewCount = viewCount;  
06 }  
07 }
```

Which statement should be inserted in the placeholder on line 02 to allow for a variable to be set to a new instance of a story with the three attributes correctly populated?

- A. ☒ constructor(body, author, viewCount) {
B. ☐ constructor() {
C. ☐ function Story(body, author, viewCount) {
D. ☐ super (body, author, viewCount) {

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:38:53****47 of 60.** Which statement parses successfully?

- A. ☐ `JSON.parse("foo");`
B. ☒ `JSON.parse('foo');`
C. ☐ `JSON.parse("'foo'");`
D. ☐ `JSON.parse('foo');`

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:38:49****48 of 60.** Refer to the code below:

```
01 const monthName = 'July';  
02 const year = 2019;  
03 if (monthName === 'July') {  
04   year = 2020;  
05 }
```

A developer receives feedback from the Tech Lead that the code gives an error.

Which line edit should the developer make so this code runs?

- A. ☐ 03 if (monthName === July) {
- B. ☐ 02 const year = '2019';
- C. ☒ 02 let year = 2019;
- D. ☐ 03 if (monthName == 'July') {

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:38:46

49 of 60. A developer tries to retrieve all cookies, then sets a certain key value pair in the cookie. These statements are used:

```
01 document.cookie;  
02 document.cookie = 'key=John Smith';
```

What is the behavior?

- A. ☐ Cookies are read and the key value is set, the remaining cookies are unaffected.
- B. ☐ Cookies are not read because line 01 should be `document.cookies`, but the key value is set and all cookies are wiped.
- C. ☐ Cookies are read, but the key value is not set because the value is not URL encoded.
- D. ☒ Cookies are read and the key value is set, and all cookies are wiped.

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



50 of 60. Refer to the code below:

```
01 let requestPromise = client.getRequest;  
02  
03 requestPromise().then((response) => {  
04   handleResponse(response);  
05 });
```

A developer uses a client that makes a GET request that uses a Promise to handle the request. `client.getRequest` returns a Promise.

Which code lines can the developer change to ensure the function `nextStep` gets called if an error occurs?

- A. ☐ 05 `});finally(() => {`
06 `nextStep();`
07 `});`
- B. ☐ 03 `requestPromise().then((response) => {`
04 `handleResponse(response);`
05 `}).then(() => {`
06 `nextStep();`
07 `});`
- C. ☐ 05 `}).catch(() => {`
06 `nextStep();`
07 `});`
- D. ☒ 03 `try {`
04 `requestPromise().then((response) => {`
05 `handleResponse(response);`
06 `});`
07 `} catch() {`
08 `nextStep();`
09 `}`

☐ Mark this item for later review

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:38:21****51 of 60.** Given the code below:

```
01 function myFunction() {  
02   a = 5;  
03   var b = 1;  
04 }  
05  
06 myFunction();  
07  
08 console.log(a);  
09 console.log(b);
```

What is the expected output?

- A. ☐ Both lines 08 and 09 are executed, and the variables are outputted.
- B. ☐ Both lines 08 and 09 are executed, but the values outputted are undefined.
- C. ☐ Line 08 throws an error, therefore line 09 is never executed.
- D. ☒ Line 08 outputs the variable, but line 09 throws an error.

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:38:17****52 of 60.** Refer to the code below:

```
for (let number = 2; number <= 5; number += 1) {  
  // Insert code statement here  
}
```

The developer needs to insert a code statement in the location shown. The code statement has these requirements:

1. Does not require an import
2. Logs an error when the Boolean statement evaluates to false
3. Works in both the browser and Node.js

Which statement meets these requirements?

- A. ☐ `console.debug(number % 2 === 0);`
- B. ☒ `console.error(number % 2 === 0);`
- C. ☐ `console.assert(number % 2 === 0);`
- D. ☐ `assert(number % 2 === 0);`

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:38:13

53 of 60. Refer to the HTML below:

```
<div id="main">
  <ul>
    <li>Leo</li>
    <li>Tony</li>
    <li>Tiger</li>
  </ul>
</div>
```

Which JavaScript statement results in changing "Leo" to "The Lion"?

- A. ☒ document.querySelector('#main li:nth-child(1)').innerHTML = 'The Lion';
- B. ☐ document.querySelectorAll('#main #Leo').innerHTML = 'The Lion';
- C. ☐ document.querySelector('#main li:second-child').innerHTML = 'The Lion';
- D. ☐ document.querySelectorAll('#main li.Leo').innerHTML = 'The Lion';

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:38:08****54 of 60.** Refer to the code below:

```
01 let foodMenu1 = ['Pizza', 'Burger', 'French fries'];  
02 let finalMenu = foodMenu1;  
03 finalMenu.push('Garlic bread');
```

What is the value of `foodMenu1` after the code executes?

- A. ☐ ['Garlic bread']
- B. ☐ ['Garlic bread', 'Pizza', 'Burger', 'French fries']
- C. ☒ ['Pizza', 'Burger', 'French fries', 'Garlic bread']
- D. ☐ ['Pizza', 'Burger', 'French fries']

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:38:03**

55 of 60. A developer writes the code below to calculate the factorial of a given number.

```
01 function sum(number) {  
02   return number + sum(number - 1);  
03 }  
04 sum(3);
```

What is the result of executing line 04?

- A. ☐ 0
B. ☐ 6
C. ☐ Error
D. ☒ -Infinity

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials



Activate Windows
Go to Settings to activate Windows.



partner

Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:37:57

- 56 of 60. A developer writes the code below to return a message to a user attempting to register a new username. If the username is available, a variable named `msg` is declared and assigned a value on line 03.

```
01 function getAvailabilityMessage(item) {  
02   if (getAvailability(item)) {  
03     var msg = "Username available";  
04   }  
05   return msg;  
06 }
```

What is the value of `msg` when `getAvailabilityMessage("newUserName")` is executed and `getAvailability("newUserName")` returns true?

- A. ☐ "Username available"
- B. ☐ "msg is not defined"
- C. ☒ undefined
- D. ☐ "newUserName"

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:37:53**

57 of 60. Refer to the code below:

```
01 function changeValue(obj) {  
02   obj.value = obj.value / 2;  
03 }  
04 const objA = {value: 10};  
05 const objB = objA;  
06  
07 changeValue(objB);  
08 const result = objA.value;
```

What is the value of `result` after the code executes?

- A. ☐ 10
- B. ☐ undefined
- C. ☐ NaN
- D. ☒ 5

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:37:43

58 of 60. Refer to the code below:

```
const searchText = 'Yay! Salesforce is amazing!';

let result1 = searchText.search(/sales/i);
let result2 = searchText.search(/sales/);

console.log(result1);
console.log(result2);
```

After running this code, which result is displayed on the console?

- A. ☐ > true
 ☐ > false
- B. ☐ > 5
 ☐ > undefined
- C. ☐ > 5
 ☐ > 0
- D. ☒ > 5
 ☐ > -1

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:37:37**

59 of 60. A developer created a generic function to log custom messages shown in the code below.

```
01 function myLog(message){  
02   console.log("Answer goes here"/('Custom log: ' + message);  
03 }
```

Which three options can the developer use to log custom messages in the console?

Choose 3 answers

- A. ☐ debug
- B. ☒ count
- C. ☒ group
- D. ☒ trace
- E. ☐ error

☐ Mark this item for later review.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Remaining : 00:37:33****60 of 60.** Refer to the code below:

```
01 let country = {  
02   get capital() {  
03     let city = Number("London");  
04  
05     return {  
06       cityString: city.toString(),  
07     }  
08   }  
09 }
```

Which value can a developer expect when referencing `country.capital.cityString`?

- A. ☐ An error
- B. ☐ undefined
- C. ☒ 'NaN'
- D. ☐ 'London'

☐ Mark this item for later review.

Activate Windows
Go to Settings to activate Windows.

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials



Salesforce Certified JavaScript Developer I - Multiple Choice

Time Remaining : 00:37:24

Your assessment responses are listed below. Asterisks(*) next to the item number indicate you have marked that item for review. Click on the item number to return to the desired item. When you are ready to submit your assessment, click the 'Submit Exam' button below to submit your responses and end the assessment.

Assessment Summary

Number of Items Answered: 60
Number of Items Unanswered: 0
Number of Items Marked for Review: 0

Answers

1. B	2. D	3. D	4. A
5. B	6. C	7. BD	8. D
9. D	10. C	11. C	12. B
13. B	14. CD	15. A	16. D
17. C	18. B	19. AD	20. D
21. B	22. B	23. CD	24. B
25. A	26. A	27. C	28. A
29. B	30. A	31. CA	32. B
33. D	34. BA	35. DBE	36. A
37. D	38. D	39. BCD	40. C
41. BA	42. D	43. AB	44. DA
45. B	46. A	47. B	48. C
49. D	50. D	51. D	52. B
53. A	54. C	55. D	56. C
57. D	58. D	59. BCD	60. C

Activate Windows
Go to Settings to activate Windows.

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified JavaScript Developer I - Multiple Choice**Time Taken:** 68 minutes of 105 minutes total**Result:** Pass

Topic	Percentage Correct
Variables, Types, and Collections	92%
Objects, Functions, and Classes	86%
Browser and Events	60%
Debugging and Error Handling	25%
Asynchronous Programming	75%
Server Side JavaScript	100%
Testing	50%

Congratulations! You have successfully completed the certification exam to become a Salesforce Certified JavaScript Developer I. Welcome to the Salesforce worldwide community of Certified Professionals!

[Exit Test](#)

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.