



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:15:01

- 1 of 60. An environment has two Apex triggers: an after-update trigger on Account and an after-update trigger on Contact.

The Account after-update trigger fires whenever an Account's address is updated, and it updates every associated Contact with that address. The Contact after-update trigger fires on every edit, and it updates every Campaign Member record related to the Contact with the Contact's state.

Consider the following: A mass update of 200 Account records' addresses, where each Account has 50 Contacts. Each Contact has one Campaign Member. This means there are 10,000 Contact records across the Accounts and 10,000 Campaign Member records across the contacts.

What will happen when the mass update occurs?

- A. ☒ There will be no error, since each trigger fires within its own context and each trigger does not exceed the limit of the number of records processed by DML statements.
- B. ☐ The mass update will fail, since the two triggers fire in the same context, thus exceeding the number of records processed by DML statements.
- C. ☐ There will be no error and all updates will succeed, since the limit on the number of records processed by DML statements was not exceeded.
- D. ☐ The mass update of Account address will succeed, but the Contact address updates will fail due to exceeding number of records processed by DML statements.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:14:54

2 of 60. Universal Containers implements a private sharing model for the `Convention_Attendee__c` custom object. As part of a new quality assurance effort, the company created an `Event_Reviewer__c` user lookup field on the object. Management wants the event reviewer to automatically gain Read/Write access to every record they are assigned to.

What is the best approach to ensure the assigned reviewer obtains Read/Write access to the record?

- A. ☐ Create criteria-based sharing rules on the Convention Attendee custom object to share the records with the Event Reviewers.
- B. ☐ Create an after insert trigger on the Convention Attendee custom object, and use Apex Sharing Reasons and Apex Managed Sharing.
- C. ☒ Create a before insert trigger on the Convention Attendee custom object, and use Apex Sharing Reasons and Apex Managed Sharing.
- D. ☐ Create a criteria-based sharing rule on the Convention Attendee custom object to share the records with a group of Event Reviewers.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

**Salesforce Certified Platform Developer II - Multiple Choice****Time Remaining : 00:14:44****3 of 60.** Consider the following code snippet:

```
import { LightningElement } from 'lwc';
import getOrders from '@apex/OrderController.getAvailableOrders';

export default class OrderManagement extends LightningElement {
  orders;
  error;

  @wire(getOrders)
  wiredOrders({ error, data }) {
    if (data) {
      this.orders = data;
      this.error = undefined;
    } else if (error) {
      this.error = error;
      this.orders = undefined;
    }
  }
}
```

When the component is deployed, an error is reported.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
MaterialsActivate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0

```
    } else if (error) {  
        this.error = error;  
        this.orders = undefined;  
    }  
}
```

When the component is deployed, an error is reported.

Which two changes should the developer implement in the code to ensure the component deploys successfully?

Choose 2 answers

- A. ☒ `import getOrders from '@salesforce/apex/OrderController.getAvailableOrders';`
- B. ☐ `import getOrders from '@salesforce/apex/c.OrderController.getAvailableOrders';`
- C. ☐ `import { LightningElement, api } from 'lwc';`
- D. ☒ `import { LightningElement, wire } from 'lwc';`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:14:26

- 4 of 60.** Just prior to a new deployment the Salesforce administrator, who configured a new order fulfillment process feature in a developer sandbox, suddenly left the company.

As part of the UAT cycle, the users had fully tested all of the changes in the sandbox and signed off on them; making the Order fulfillment feature ready for its go-live in the production environment.

Unfortunately although a Change Set was started, it was not completed by the former administrator. A developer is brought in to finish the deployment.

What should the developer do to identify the configuration changes that need to be moved into production?

- A. ☒ Leverage the Setup Audit Trail to review the changes made by the departed Administrator and identify which changes should be added to the Change Set.
- B. ☐ In Salesforce setup, look at the last modified date for every object to determine which should be added to the Change Set.
- C. ☐ Set up Continuous Integration and a Git repository to automatically merge all changes from the sandbox metadata with the production metadata.
- D. ☐ Use the Metadata API and a supported development IDE to push all of the configuration from the sandbox into production to ensure no changes are lost.

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:14:17

- 5 of 60. Universal Containers wants to use a Customer Community with Customer Community Plus licenses to allow their customers access to track how many containers they have rented and when they are due back. Universal Containers uses a Private sharing model for External users.

Many of their customers are multi-national corporations with complex Account hierarchies. Each account on the hierarchy represents a department within the same business.

One of the requirements is to allow certain community users within the same Account hierarchy to see several departments' containers, based on a custom junction object that relates the Contact to the various Account records that represent the departments.

Which solution solves these requirements?

- A. ☒ An Apex trigger that creates Apex managed sharing records based on the junction object's relationships
- B. ☐ A custom list view on the junction object with filters that will show the proper records based on owner
- C. ☐ A Visualforce page that uses a custom controller that specifies without sharing to expose the records
- D. ☐ A Lightning web component on the Community Home Page that uses Lightning Data Services.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:14:10

6 of 60. An org records customer order information in a custom object, `Order__c`, that has fields for the shipping address. A developer is tasked with adding code to calculate shipping charges on an order, based on a flat percentage rate associated with the region of the shipping address.

What should the developer use to store the rates by region, so that when the changes are deployed to production no additional steps are needed for the calculation to work?

- A. ☐ Custom list setting
- B. ☒ Custom metadata type
- C. ☐ Custom hierarchy setting
- D. ☐ Custom object

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:14:00

7 of 60. Consider the below trigger intended to assign the Account to the manager of the Account's region:

```
trigger AssignOwnerByRegion on Account ( before insert, before update )
{
    List<Account> accountList = new List<Account>();
    for( Account anAccount : trigger.new )
    {
        Region__c theRegion = [
            SELECT Id, Name, Region_Manager__c
            FROM Region__c
            WHERE Name = :anAccount.Region_Name__c
        ];
        anAccount.OwnerId = theRegion.Region_Manager__c;

        accountList.add( anAccount );
    }

    update accountList;
}
```

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0

```
anAccount.OwnerId = theRegion.Region_Manager__c;
```

```
accountList.add( anAccount );
```

```
update accountList;
```

Which two changes should a developer make in this trigger to adhere to best practices?

Choose 2 answers

- A. ☒ Move the `Region__c` query to outside the loop.
- B. ☐ Use a Map to cache the results of the `Region__c` query by Id.
- C. ☒ Remove the last line that updates `accountList` because it is not needed.
- D. ☐ Add `if (!accountList.isEmpty())` before `update accountList`.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:13:45

8 of 60. A company recently deployed a Visualforce page with a custom controller that has a data grid of information about Opportunities in the org. Users report that they receive a "Maximum view state size limit" error message under certain conditions.

According to Visualforce best practice, which three actions should the developer take to reduce the view state?

Choose 3 answers

- A. ☒ Refine any SOQL queries to return only data relevant to the page.
- B. ☐ Use the final keyword in the controller for variables that will not change.
- C. ☒ Use filters and pagination to reduce the amount of data.
- D. ☒ Use the transient keyword in the Apex controller for variables that do not maintain state.
- E. ☐ Use the private keyword in the controller for variables.

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:13:38

9 of 60. Universal Containers allows customers to log into a Salesforce Community and update their orders via a custom Visualforce page. Universal Containers' sales representatives can edit the orders on the same Visualforce page.

What should a developer use in an Apex test class to test that record sharing is enforced on the Visualforce page?

- A. ☐ Use `System.runAs()` to test as an administrator and a community user.
- B. ☐ Use `System.profileIs()` to test as an administrator and a community user.
- C. ☐ Use `System.profileIs()` to test as a sales rep and a community user.
- D. ☒ Use `System.runAs()` to test as a sales rep and a community user.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™



Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:13:31

10 of 60. A developer is asked to build a solution that will automatically send an email to the customer when an Opportunity stage changes. The solution must scale to allow for 10,000 emails per day. The criteria to send the email should be evaluated after certain conditions are met.

What is the optimal way to accomplish this?

- A. ☐ Use `MassEmailMessage()` with an Apex trigger.
- B. ☐ Use a Workflow Email Alert.
- C. ☒ Use an Email Alert with Flow Builder.
- D. ☐ Use `SingleEmailMessage()` with an Apex trigger.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:13:03

11 of 60. A company needs to automatically delete sensitive information after seven years. This could delete almost a million records every day.

How can this be achieved?

- A. ☐ Perform a SOSL statement to find records older than 7 years, and then delete the entire result set.
- B. ☐ Schedule an @future process to query records older than seven years, and then recursively invoke itself in 1,000 record batches to delete them.
- C. ☒ Schedule a batch Apex process to run every day that queries and deletes records older than seven years.
- D. ☐ Use aggregate functions to query for records older than seven years, and then delete the AggregateResult objects.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:12:56

12 of 60. A developer is asked to look into an issue where a scheduled Apex is running into DML limits. Upon investigation, the developer finds that the number of records processed by the scheduled Apex has recently increased to more than 10,000.

What should the developer do to eliminate the limit exception error?

- A. ☐ Use platform events.
- B. ☒ Implement the `Batchable` interface.
- C. ☐ Implement the `Queueable` interface.
- D. ☐ Use the `@future` annotation.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:12:45

13 of 60. Refer to the code:

Lightning Aura Component

```
<aura:component controller="SimpleServerSideController">
    <aura:attribute name="firstName" type="String" default="world"/>
    <lightning:button label="Call server" onclick="{!c.echo}"/>
</aura:component>
```

Lightning Aura Controller

```
01 ({
02     "echo" : function(cmp) {
03         // create a one-time use instance of the serverEcho action
04         var action = cmp.get("c.serverEcho");
05         action.setParams({ firstName : cmp.get("v.firstName") });
06
07         // Create a callback that executes the server-side action returns
08         action.setCallback(this, function(response) {
09             var state = response.getState();
10             if (state === "SUCCESS") {
11                 alert("From server: " + response.getReturnValue());
12             }
13         });
14     }
15 })
```

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



```
27     });  
28  
29     // $A.enqueueAction adds the server-side action to the queue.  
30     $A.enqueueAction(action);  
31 }  
32 })
```

Apex Controller

```
01 public with sharing class SimpleServerSideController {  
02  
03     //Use @AuraEnabled to enable client- and server-side access to the method  
04     @AuraEnabled  
05     public static String serverEcho(JSONObject firstName) {  
06         String firstNameStr = (String)JSON.deserialize(firstName, String.class);  
07         return ('Hello from the server, ' + firstNameStr);  
08     }  
09 }
```

Given the code above, which two changes need to be made in the Apex Controller for the code to work?

Choose 2 answers

- A. ☒ Change the argument in the Apex Controller line 05 from `JSONObject` to `String`.
- B. ☐ Change the method signature to be `global static`, not `public static`.
- C. ☐ Annotate the entire class as `@AuraEnabled` instead of just the single method.
- D. ☒ Remove line 06 from the Apex Controller and instead use `firstName` in the return on line 07.

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:12:23

14 of 60. Users report that a button on a custom Lightning web component is not working. However, there are no other details provided.

What should the developer use to ensure error messages are properly displayed?

- A. ☐ Use the Database method with allOrNone set to false.
- B. ☐ Add the `<apex:messages/>` tag to the component.
- C. ☒ Add JavaScript and HTML to display an error message.
- D. ☐ Add a try-catch block surrounding the DML statement.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:12:13

- 15 of 60. A developer created a Lightning web component that allows users to input a text value that is used to search for Accounts by calling an Apex method. The Apex method returns a list of `AccountWrappers` and is called imperatively from a JavaScript event handler.

```
01:
02: public class AccountSearcher {
03:
04:     public static List<AccountWrapper> search(String term) {
05:         List<AccountWrapper> wrappers = getMatchingAccountWrappers(term);
06:         return wrappers;
07:     }
08:
09:
10:     public class AccountWrapper {
11:         public Account { get; set; }
12:         public Decimal matchProbability { get; set; }
13:     }
14:     // ...other methods, including getMatchingAccountWrappers implementation...
15: }
```

Which two changes should the developer make to the Apex method function search?

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0

```
13: }  
14: // ...other methods, including getMatchingAccountWrappers implementation...  
15: }
```

Which two changes should the developer make so the Apex method functions correctly?

Choose 2 answers

- A. ☐ Add @AuraEnabled to line 01.
- B. ☒ Add @AuraEnabled to lines 11 and 12.
- C. ☐ Add @AuraEnabled to line 09.
- D. ☒ Add @AuraEnabled to line 03.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

KRYTERION™



Version: 18.0.0



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:12:03

16 of 60. Instead of waiting to send emails to support personnel directly from the finish method of a batch Apex process, Universal Containers wants to notify an external system in the event that an unhandled exception occurs.

What is the appropriate publish/subscribe logic to meet this requirement?

- A. ☒ Publish the error event using the `Eventbus.publish()` method and have the external system subscribe to the event using CometD.
- B. ☐ No publishing is necessary. Have the external system subscribe to the `BatchApexErrorEvent`.
- C. ☐ Publish the error event using the `addError()` method and have the external system subscribe to the event using CometD.
- D. ☐ Publish the error event using the `addError()` method and write a trigger to subscribe to the event and notify the external system.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:11:56

17 of 60. Universal Containers decided to use Salesforce to manage a new hire interview process. A custom object called Candidate was created with organization-wide defaults set to Private. A lookup on the Candidate object sets an employee as an Interviewer.

What should be used to automatically give Read access to the record when the lookup field is set to the Interviewer user?

- A. ☐ The record cannot be shared with the current setup.
- B. ☐ The record can be shared using a permission set.
- C. ☒ The record can be shared using an Apex class.
- D. ☐ The record can be shared using a sharing rule.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:11:50

18 of 60. A developer needs to store variables to control the style and behavior of a Lightning Web Component.

Which feature should be used to ensure that the variables are testable in both Production and all Sandboxes?

- A. ☐ Custom setting
- B. ☒ Custom metadata
- C. ☐ Custom variable
- D. ☐ Custom object

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:11:43

19 of 60. A developer is debugging an Apex-based order creation process that has a requirement to have three savepoints, SP1, SP2, and SP3 (created in order), before the final execution of the process.

During the final execution process, the developer has a routine to roll back to SP1 for a given condition. Once the condition is fixed, the code then calls a roll back to SP3 to continue with final execution. However, when the roll back to SP3 is called, a runtime error occurs.

Why does the developer receive a runtime error?

- A. ☐ The developer should have called SP2 before calling SP3.
- B. ☐ The developer used too many savepoints in one trigger session.
- C. ☐ The developer has too many DML statements between the savepoints.
- D. ☒ SP3 became invalid when SP1 was rolled back.

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:11:37

20 of 60. Which use case can be performed **only** by using asynchronous Apex?

- A. ☐ Updating a record after the completion of an insert
- B. ☒ Calling a web service from an Apex trigger
- C. ☐ Scheduling a batch process to complete in the future
- D. ☐ Processing high volumes of records

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:11:32

21 of 60. A developer is tasked with creating a Lightning web component that is responsive on various devices.

Which two components should help accomplish this goal?

Choose 2 answers

- A. ☐ lightning-navigation
- B. ☐ lightning-input-location
- C. ☒ lightning-layout
- D. ☒ lightning-layout-item

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:11:24

22 of 60. A company has an Apex process that makes multiple extensive database operations and web service callouts. The database processes and web services can take a long time to run and must be run sequentially.

How should the developer write this Apex code without running into governor limits and system limitations?

- A. ☐ Use Queueable Apex to chain the jobs to run sequentially.
- B. ☒ Use Limits class to stop entire process once governor limits are reached.
- C. ☐ Use Apex Scheduler to schedule each process.
- D. ☐ Use multiple @future methods for each process and callout.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™



Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:11:18

23 of 60. A company accepts orders for customers in their enterprise resource planning (ERP) system that must be integrated into Salesforce as `Order__c` records with a lookup field to Account. The Account object has an external ID field, `ERP_Customer_ID__c`.

What should the integration use to create new `Order__c` records that will automatically be related to the correct Account?

- A. ☐ Upsert on the Account and specify the `ERP_Customer_ID__c` for the relationship.
- B. ☒ Upsert on the `Order__c` object and specify the `ERP_Customer_ID__c` for the Account relationship.
- C. ☐ Insert on the `Order__c` object followed by an update on the `Order__c` object.
- D. ☐ Merge on the `Order__c` object and specify the `ERP_Customer_ID__c` for the Account relationship.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

**Salesforce Certified Platform Developer II - Multiple Choice****Time Remaining : 00:11:07**

24 of 60. An Apex trigger and Apex class increment a counter, `Edit_Count__c`, any time the Case is changed.

```
public class CaseTriggerHandler {  
    public static void handle(List<Case> cases) {  
        for (Case c : cases) {  
            c.Edit_Count__c = c.Edit_Count__c + 1;  
        }  
    }  
}  
  
trigger on Case(before update) {  
    CaseTriggerHandler.handle(Trigger.new);  
}
```

A new process on the Case object was just created in production for when a Case is created or updated. Since the process was added, there are reports that `Edit_Count__c` is being incremented more than once for Case edits.

Which Apex code fixes this problem?

A. ☐

```
public class CaseTriggerHandler {  
    public static Boolean firstRun = true;  
    public static void handle(List<Case> cases) {
```

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0

```
    }  
    }  
  
    trigger on Case(before update) {  
        CaseTriggerHandler.handle(Trieger.new);  
    }  
  
C. ☒ public class CaseTriggerHandler {  
    public static Boolean firstRun = true;  
    public static void handle(List<Case> cases) {  
        for (Case c : cases) {  
            c.Edit_Count__c = c.Edit_Count__c + 1;  
        }  
    }  
}  
  
    trigger on Case(before update) {  
        if (CaseTriggerHandler.firstRun) {  
            CaseTriggerHandler.handle(Trieger.new);  
        }  
        CaseTriggerHandler.firstRun = false;  
    }  
  
D. ☐ trigger on Case(before update) {  
    Boolean firstRun = true;  
    if (firstRun) {  
        CaseTriggerHandler.handle(Trieger.newMap);  
    }  
    firstRun = false;  
}
```

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:10:55

25 of 60. Which three approaches should a developer implement to obtain the best performance for data retrieval when building a Lightning web component?

Choose 3 answers

- A. ☐ Use `layoutTypes: ['Full']` to display a set of fields.
- B. ☒ Use `(Cacheable=true)` whenever possible.
- C. ☒ Use lazy load for occasionally accessed data.
- D. ☐ Use `getRecordUi` to obtain metadata.
- E. ☒ Use the Lightning Data Service.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:10:49

26 of 60. In an organization that has multi-currency enabled, a developer is tasked with building a Lightning component that displays the top ten Opportunities most recently accessed by the logged in user. The developer must ensure the Amount and LastModifiedDate field values are displayed according to the user's locale.

What is the most effective approach to ensure values displayed respect the user's locale settings?

- A. ☐ Use a wrapper class to format the values retrieved via SOQL.
- B. ☐ Use REGEX expressions to format the values retrieved via SOQL.
- C. ☐ Use the FOR VIEW clause in the SOQL query.
- D. ☒ Use the FORMAT () function in the SOQL query.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:10:42

27 of 60. Which method should be used to convert a Date to a String in the current user's locale?

- A. ☒ Date.format
- B. ☐ String.valueOf
- C. ☐ Date.parse
- D. ☐ String.format

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:10:36

28 of 60. A developer is asked to create a Lightning web component that will be invoked via a button on a record page. The component must be displayed in a modal dialog.

Which three steps should the developer take to achieve this?

Choose 3 answers

- A. ☒ In targets, add lightning__RecordAction as a target.
- B. ☒ Set actionType to ScreenAction.
- C. ☐ In targetConfigs, add lightning__AppPage as a target.
- D. ☒ Add a targetConfig and set targets to lightning__RecordAction.
- E. ☐ Set eventType to Action.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™



Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:10:30

29 of 60. A developer writes a Lightning web component that displays a dropdown list of all custom objects in the org from which a user will select. An Apex method prepares and returns data to the component.

What should the developer do to determine which objects to include in the response?

- A. ☐ Use the `getCustomObjects()` method from the Schema class.
- B. ☒ Check the `isCustom()` value on the `sObject` describe result.
- C. ☐ Check the `getObjectType()` value for 'Custom' or 'Standard' on the `sObject` describe result.
- D. ☐ Import the list of all custom objects from `@salesforce/schema`.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:10:23

30 of 60. A developer recently released functionality to production that performs complex commission calculations in Apex code called from an Opportunity trigger. Users report that the calculations seem incorrect because the values they see for commissions are wrong.

The developer has representative test data in their developer sandbox.

Which three tools or techniques should the developer use to execute the code and pause it at key lines to visually inspect values of various Apex variables?

Choose 3 answers

- A. ☒ Developer Console
- B. ☒ Visual Studio Code
- C. ☐ Workbench
- D. ☐ Breakpoints
- E. ☒ Apex Replay Debugger

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:10:17

31 of 60. A developer wrote a test class that successfully asserts a trigger on Account. It fires and updates data correctly in a sandbox environment.

A Salesforce admin with a custom profile attempts to deploy this trigger via a change set into the production environment, but the test class fails with an insufficient privileges error.

What should a developer do to fix the problem?

- A. ☐ Verify that `Test.startTest()` is not inside a `FOR` loop in the test class.
- B. ☐ Configure the production environment to enable "Run All Tests as Admin User."
- C. ☐ Add `seeAllData=true` to the test class to work within the sharing model for the production environment.
- D. ☒ Add `System.runAs()` to the test class to execute the trigger as a user with the correct object permissions.

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

**Time Remaining : 00:10:02**

32 of 60. Assuming the `CreateOneAccount` class creates one account and implements the `Queueable` interface, which syntax properly tests the Apex code?

- A. ☐ `List<Account> accts;`
`System.enqueueJob( new CreateOneAccount() );`
`Test.startTest();`
`System.assertEquals(1, accts.size() );`
`Test.stopTest();`
- B. ☐ `List<Account> accts;`
`System.enqueueJob( new CreateOneAccount() );`
`accts = [SELECT Id FROM Account];`
`System.assertEquals(1, accts.size() );`
- C. ☐ `List<Account> accts;`
`System.enqueueJob( new CreateOneAccount() );`
`Test.getFlexQueueOrder();`
`System.assertEquals( 1, accts.size() );`
- D. ☒ `List<Account> accts;`
`Test.startTest();`
`System.enqueueJob( new CreateOneAccount() );`
`Test.stopTest();`
`accts = [SELECT Id FROM Account];`
`System.assertEquals( 1, accts.size() );`

☐ Mark this item for later review

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:56

33 of 60. There are user complaints about slow render times of a custom data table within a Visualforce page that loads thousands of Account records at once.

What can a developer do to help alleviate such issues?

- A. ☐ Use JavaScript remoting to query the accounts.
- B. ☐ Use the transient keyword in the Apex code when querying the Account records.
- C. ☐ Upload a third-party data table library as a static resource.
- D. ☒ Use the standard Account List controller and implement pagination.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:50

- 34 of 60.** A developer is tasked with creating an application-centric feature on which end-users can access and update information. This feature must be available in Lightning Experience while working seamlessly in multiple device form factors, such as desktops, phones, and tablets. Additionally, the feature must support Addressable URL Tabs and interact with the Salesforce Console APIs.

What are two approaches a developer can take to build the application and support the business requirements?

Choose 2 answers

- A. ☒ Create the application using Lightning Web Components wrapped in Aura Components.
- B. ☐ Create the application using Lightning Experience Builder.
- C. ☐ Create the application using Aura Components wrapped in Lightning Web Components.
- D. ☒ Create the application using Aura Components.

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:43

35 of 60. Refer to the code below:

```
List<Opportunity> opportunities = [SELECT Id, Amount from Opportunity ];  
for(Opportunity opp: opportunities){  
    // perform operation here  
}
```

When the code runs, it results in a System Limit Exception with the error message: Apex heap size too large.

What should be done to fix this error?

- A. ☐ Convert the List into a Set.
- B. ☐ Use a try/catch block to catch the error.
- C. ☐ Use a SOQL for loop to process the data.
- D. ☒ Use `Limits.getLimitHeapSize()`.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:38

36 of 60. A page throws an 'Attempt to dereference a null object' error for a Contact.

What change in the controller will fix the error?

- A. ☐ Change the getter's signature to be static Contact.
- B. ☐ Change the setter's signature to return a Contact.
- C. ☐ Declare a static final Contact at the top of the controller.
- D. ☒ Use a condition in the getter to return a new Contact if it is null.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:29

37 of 60. What are three benefits of using static resources in Visualforce and Aura components?

Choose 3 answers

- A. ☐ Static resource files are automatically minified.
- B. ☒ Static resource files can be referenced by using the `$Resource` global variable instead of hardcoded IDs.
- C. ☒ Relative paths can be used in files in static resource archives to refer to other content within the archive.
- D. ☐ Static resource files do not count against an organization's quota of data storage.
- E. ☒ Static resource files can be packaged into a collection of related files in a zip or jar archive.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:23

38 of 60. A company has a Lightning Page with many Lightning Components, some that cache reference data. It is reported that the page does not always show the most current reference data.

What can a developer use to analyze and diagnose the problem in the Lightning Page?

- A. ☐ Salesforce Lightning Inspector Transactions Tab
- B. ☐ Salesforce Lightning Inspector Actions Tab
- C. ☒ Salesforce Lightning Inspector Storage Tab
- D. ☐ Salesforce Lightning Inspector Event Log Tab

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:17

39 of 60. When the sales team views an individual customer record, they need to see recent interactions for the customer. These interactions can be sales orders, phone calls, or Cases. The date range for recent interactions will be different for every customer record type.

How can this be accomplished?

- A. ☐ Use batch Apex to query for the most recent interactions when the customer view screen is loaded.
- B. ☒ Use Lightning Flow to read the customer's record type, and then do a dynamic query for recent interactions and display on the View page.
- C. ☐ Use a Lightning component to query and display interactions based on record type that is passed in using a `design:attribute` from the Lightning page.
- D. ☐ Use a dynamic form on the customer record page to display recent interactions.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:10

40 of 60. What should a developer use to query all Account fields for the Acme account in their sandbox?

- A. ☐ SELECT FIELDS FROM Account WHERE Name = 'Acme' LIMIT 1
- B. ☐ SELECT ALL FROM Account WHERE Name = 'Acme' LIMIT 1
- C. ☒ SELECT FIELDS(ALL) FROM Account WHERE Name = 'Acme' LIMIT 1
- D. ☐ SELECT * FROM Account WHERE Name = 'Acme' LIMIT 1

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:09:04

41 of 60. A developer is inserting, updating, and deleting multiple lists of records in a single transaction and wants to ensure that any error prevents all execution.

How should the developer implement error exception handling in their code to handle this?

- A. ☒ Use `Database.setSavepoint()` and `Database.rollback()` with a try-catch statement.
- B. ☐ Use Database methods to obtain lists of `Database.SaveResults`.
- C. ☐ Use a try-catch statement and handle DML cleanup in the catch statement.
- D. ☐ Use a try-catch and use `sObject.addError()` on any failures.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:08:57

42 of 60. Which statement is considered a best practice for writing bulk safe Apex triggers?

- A. ☐ Add `LIMIT 50000` to every SOQL statement.
- B. ☐ Perform all DML operations from within a future method.
- C. ☒ Add records to collections and perform DML operations against these collections.
- D. ☐ Instead of DML statements, use the Database methods with `allOrNone` set to `false`.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



43 of 60. A developer wrote a class named `AccountHistoryManager` that relies on field history tracking. The class has a static method called `getAccountHistory` that takes in an `Account` as a parameter and returns a list of associated `AccountHistory` object records.

The following test fails:

```
@isTest
public static void testAccountHistory() {
    Account a = new Account(name = 'test');
    insert a;
    a.name = a.name + '1';
    update a;
    List<AccountHistory> ahList = AccountHistoryManager.getAccountHistory(a);
    System.assert(ahList.size() > 0);
}
```

What should be done to make this test pass?

- A. ☒ Use `Test.isRunningTest()` in `getAccountHistory()` to conditionally return fake `AccountHistory` records.
- B. ☐ Use `@isTest(SeeAllData=true)` to see historical data from the org and query for `AccountHistory` records.
- C. ☐ The test method should be deleted since this code cannot be tested.
- D. ☐ Create `AccountHistory` records manually in the test setup and write a query to get them.

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

**Salesforce Certified Platform Developer II - Multiple Choice****Time Remaining : 00:08:36**

- 44 of 60.** A company manages information about their product offerings in custom objects named Catalog and Catalog Item. Catalog Item has a master-detail field to Catalog, and each Catalog may have as many as 100,000 Catalog Items.

Both custom objects have a CurrencyIsoCode text field that contains the currency code they should use. If a Catalog's CurrencyIsoCode changes, all of its Catalog Items' CurrencyIsoCodes should be changed as well.

What should a developer use to update the CurrencyIsoCodes on the Catalog Items when the Catalog's CurrencyIsoCode changes?

- A. ☐ An `after insert` trigger on Catalog Item that updates the Catalog Items if the Catalog's CurrencyIsoCode is different
- B. ☐ A `Database.Schedulable` and `Database.Batchable` class that queries the Catalog object and updates the Catalog Items if the Catalog CurrencyIsoCode is different
- C. ☐ An `after insert` trigger on Catalog that updates the Catalog Items if the Catalog's CurrencyIsoCode is different
- D. ☒ A `Database.Schedulable` and `Database.Batchable` class that queries the Catalog Item object and updates the Catalog Items if the Catalog CurrencyIsoCode is different

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:08:29

45 of 60. What are three reasons that a developer should write Jest tests for Lightning web components?

Choose 3 answers

- A. ☐ To test how multiple components work together
- B. ☒ To verify that events fire when expected
- C. ☐ To test a component's non-public properties
- D. ☒ To verify the DOM output of a component
- E. ☒ To test basic user interaction

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:08:24

46 of 60. An Apex class does not achieve expected code coverage. The `testSetup` method explicitly calls a method in the Apex class.

How can the developer generate the code coverage?

- A. ☐ Use `system.assert()` in `testSetup` to verify the values are being returned.
- B. ☐ Add `@testVisible` to the method in the class the developer is testing.
- C. ☒ Call the Apex class method from a `testMethod` instead of the `testSetup` method.
- D. ☐ Verify the user has permissions passing a user into `System.runAs()`.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:08:17

47 of 60. After a platform event is defined in a Salesforce org, events can be published via which mechanism?

- A. ☐ Internal Apps can use outbound messages.
- B. ☐ Internal Apps can use entitlement processes.
- C. ☒ External Apps use an API to publish event messages.
- D. ☐ External Apps require the standard Streaming API.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:08:10

48 of 60. A developer is asked to find a way to store secret data with an ability to specify which profiles and users can access which secrets.

What should be used to store this data?

- A. ☐ Custom metadata
- B. ☐ System.Cookie class
- C. ☐ Static resources
- D. ☒ Custom settings

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:08:03

49 of 60. Universal Containers (UC) currently does all development in its full copy sandbox.

Recently, UC has projects that require multiple developers to develop concurrently. UC is running into issues with developers making changes that cause errors in work done by other developers.

Additionally, when they are ready to deploy, many unit tests fail which prevents the deployment.

Which three types of orgs should be recommended to UC to eliminate these problems?

Choose 3 answers

- A. ☐ Systems Integration org
- B. ☒ Development org
- C. ☐ Continuous Integration (CI) Org
- D. ☒ Staging org
- E. ☒ Data Migration org

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™



Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:07:57

50 of 60. A Visualforce page contains an industry select list and displays a table of Accounts that have a matching value in their Industry field.

```
<apex:selectList value="{!selectedIndustry}">
  <apex:selectOptions values="{!industries}" />
</apex:selectList>
```

When a user changes the value in the industry select list, the table of Accounts should be automatically updated to show the Accounts associated with the selected industry.

What is the optimal way to implement this?

- A. ☒ Add an <apex:actionSupport> within the <apex:selectList>.
- B. ☐ Add an <apex:actionFunction> within the <apex:selectList>.
- C. ☐ Add an <apex:actionFunction> within the <apex:selectOptions>.
- D. ☐ Add an <apex:actionSupport> within the <apex:selectOptions>.

☐ Mark this item for later review

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:07:50

51 of 60. A developer is building a Lightning web component that searches for Contacts and must communicate the search results to other Lightning web components when the search completes.

What should the developer do to implement the communication?

- A. ☐ Fire a custom component event.
- B. ☐ Publish an event on an event channel.
- C. ☐ Fire an application event.
- D. ☒ Publish a message on a message channel.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0***Time Remaining : 00:07:37**

52 of 60. Refer to the component code and requirements below:

```
<lightning:layout multipleRows="true">
  <lightning:layoutItem size="12">{!v.account.Name}
</lightning:layoutItem>

  <lightning:layoutItem size="12">{!v.account.AccountNumber}
</lightning:layoutItem>

  <lightning:layoutItem size="12">{!v.account.Industry}
</lightning:layoutItem>
</lightning:layout>
```

Requirements:

1. For mobile devices, the information should display in three rows.
2. For desktops and tablets, the information should display in a single row.

Requirement 2 is not displaying as desired.

Which option has the correct component code to meet the requirements for desktops and tablets?

- A. ☐

```
<lightning:layout multipleRows="true">
  <lightning:layoutItem size="12" mediumDeviceSize="6">{!v.account.Name}
</lightning:layoutItem>

  <lightning:layoutItem size="12" mediumDeviceSize="6">{!v.account.AccountNumber}
</lightning:layoutItem>
```

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0

```
<lightning:layoutItem size="12" mediumDeviceSize="6">{!v.account.AccountNumber}
</lightning:layoutItem>

<lightning:layoutItem size="12" mediumDeviceSize="6">{!v.account.Industry}
</lightning:layoutItem>
</lightning:layout>

B. ☐ <lightning:layout multipleRows="true">
  <lightning:layoutItem size="12" largeDeviceSize="4">{!v.account.Name}
  </lightning:layoutItem>

  <lightning:layoutItem size="12" largeDeviceSize="4">{!v.account.AccountNumber}
  </lightning:layoutItem>

  <lightning:layoutItem size="12" largeDeviceSize="4">{!v.account.Industry}
  </lightning:layoutItem>
</lightning:layout>

C. ☒ <lightning:layout multipleRows="true">
  <lightning:layoutItem size="12" mediumDeviceSize="4">{!v.account.Name}
  </lightning:layoutItem>

  <lightning:layoutItem size="12" mediumDeviceSize="4">{!v.account.AccountNumber}
  </lightning:layoutItem>

  <lightning:layoutItem size="12" mediumDeviceSize="4">{!v.account.Industry}
  </lightning:layoutItem>
</lightning:layout>

D. ☐ <lightning:layout multipleRows="true">
```

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper

Written
Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:07:23

53 of 60. A corporation has many different Salesforce orgs, with some different objects and some common objects, and wants to build a single Java application that can create, retrieve, and update common object records in all of the different orgs.

Which method of integration should the application use?

- A. ☐ Apex REST Web Service
- B. ☒ SOAP API with the Partner WSDL
- C. ☐ Metadata API
- D. ☐ SOAP API with the Enterprise WSDL

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™



Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:07:16

54 of 60. A developer is tasked with ensuring that email addresses entered into the system for Contacts and for a custom object called `Survey_Response__c` do not belong to a list of blocked domains.

The list of blocked domains is stored in a custom object for ease of maintenance by users. The `Survey_Response__c` object is populated via a custom Visualforce page.

What is the optimal way to implement this?

- A. ☐ Implement the logic in validation rules on the Contact and the `Survey_Response__c` objects.
- B. ☐ Implement the logic in the custom Visualforce page controller and call that method from an Apex trigger on Contact.
- C. ☐ Implement the logic in an Apex trigger on Contact and also implement the logic within the custom Visualforce page controller.
- D. ☒ Implement the logic in a helper class that is called by an Apex trigger on Contact and from the custom Visualforce page controller.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:07:09

55 of 60. Refer to the following code snippet:

```
public class LeadController {  
    public static List<Lead> getFetchLeadList(String searchTerm, Decimal aRevenue) {  
        String safeTerm = '%' + searchTerm.escapeSingleQuote() + '%'  
        return [  
            SELECT Name, Company, AnnualRevenue  
            FROM Lead  
            WHERE AnnualRevenue >= :aRevenue  
            AND Company LIKE :safeTerm;  
            LIMIT 20  
        ];  
    }  
}
```

A developer created a JavaScript function as part of a Lightning web component (LWC) that surfaces information about Leads by wire calling `getFetchLeadList` when certain criteria are met.

Which three changes should the developer implement in the Apex class above to ensure the LWC can display data

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

A developer created a JavaScript function as part of a Lightning web component (LWC) that surfaces information about Leads by wire calling `getFetchLeadList` when certain criteria are met.

Which three changes should the developer implement in the Apex class above to ensure the LWC can display data efficiently while preserving security?

Choose 3 answers

- A. ☒ Use the `WITH SECURITY_ENFORCED` clause within the SOQL query.
- B. ☐ Implement the `without sharing` keyword in the class declaration.
- C. ☒ Annotate the Apex method with `@AuraEnabled(Cacheable=true)`.
- D. ☒ Implement the `with sharing` keyword in the class declaration.
- E. ☐ Annotate the Apex method with `@AuraEnabled`.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

< Back

Next >

Review All

Submit Exam

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:06:57

56 of 60. As part of point-to-point integration, a developer must call an external web service which, due to high demand, takes a long time to provide a response. As part of the request, the developer must collect key inputs from the end user before making the callout.

Which two elements should the developer use to implement these business requirements?

Choose 2 answers

- A. ☒ Apex method that returns a Continuation object
- B. ☐ Process Builder
- C. ☒ Lightning web component
- D. ☐ Screen Flow

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

Version: 18.0.0



partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:06:49

57 of 60. A developer created the following test method:

```
@isTest(SeeAllData= true)
public static void testDeleteTrigger(){

    Account testAccount = new Account(name = 'Test1');
    insert testAccount;

    List<Account> testAccounts = [SELECT Id, Name from Account WHERE Name like 'Test%'];
    System.assert(testAccounts.size() > 0);

    delete testAccounts;
    testAccounts = [SELECT Id, Name from Account WHERE Name like 'Test%'];
    System.assert(testAccounts.size() == 0);
}
```

The developer org has five accounts where the name starts with "Test". The developer executes this test in the Developer Console.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

The developer org has five accounts where the name starts with "Test". The developer executes this test in the Developer Console.

After the test code runs, which statement is true?

- A. ☐ The test will fail.
- B. ☐ There will be no accounts where the name starts with "Test".
- C. ☒ There will be five accounts where the name starts with "Test".
- D. ☐ There will be six accounts where the name starts with "Test".

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

< Back

Next >

Review All

Submit Exam

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:06:35

58 of 60. A developer is asked to develop a new AppExchange application. A feature of the program creates Survey records when a Case reaches a certain stage and is of a certain Record Type. This feature needs to be configurable, as different Salesforce instances require Surveys at different times. Additionally, the out-of-the-box AppExchange app needs to come with a set of best practice settings that apply to most customers.

What should the developer use to store and package the custom configuration settings for the app?

- A. ☐ Custom settings
- B. ☒ Custom metadata
- C. ☐ Custom labels
- D. ☐ Custom objects

☐ Mark this item for later review.

Provide question feedback here (optional):

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

**Salesforce Certified Platform Developer II - Multiple Choice****Time Remaining : 00:06:25**

- 59 of 60.** A developer is creating a Lightning web component that displays a list of records in a lightning-datatable. After saving a new record to the database, the list is not updating.

```
data;
@wire(recordList, {recordId : '$recordId'})
records(result) {
  if(result.data) {
    this.data = result.data;
  } else if(result.error) {
    this.showToast(result.error);
  }
}
```

What should the developer change in the code above for this to happen?

- A. ☒ Create a variable to store the result and call `refreshApex()`.
- B. ☐ Call `refreshApex()` on `this.data`.
- C. ☐ Create a new variable to store the result and annotate it with `@track`.
- D. ☐ Add the `@track` decorator to the data variable.

☐ Mark this item for later review.

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

partner

Salesforce Certified Platform Developer II - Multiple Choice

Time Remaining : 00:06:18

60 of 60. For compliance purposes, a company is required to track long-term product usage in their org. The information that they need to log will be collected from more than one object and, over time, they predict they will have hundreds of millions of records.

What should a developer use to implement this?

- A. ☒ Big Objects
- B. ☐ Setup Audit Trail
- C. ☐ Field Audit Trail
- D. ☐ Field History Tracking

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Your assessment responses are listed below. Asterisks(*) next to the item number indicate you have marked that item for review. Click on the item number to return to the desired item. When you are ready to submit your assessment, click the 'Submit Exam' button below to submit your responses and end the assessment.

Assessment Summary

Number of Items Answered: 60
Number of Items Unanswered: 0
Number of Items Marked for Review: 0

Answers

1. A	2. C	3. DA	4. A
5. A	6. B	7. CA	8. DAC
9. D	10. C	11. C	12. B
13. DA	14. C	15. BD	16. A
17. C	18. B	19. D	20. B
21. DC	22. B	23. B	24. C
25. EBC	26. D	27. A	28. BDA
29. B	30. BAE	31. D	32. D
33. D	34. AD	35. D	36. D
37. CEB	38. C	39. B	40. C
41. A	42. C	43. A	44. D
45. DEB	46. C	47. C	48. D
49. BDE	50. A	51. D	52. C
53. B	54. D	55. ACD	56. CA
57. C	58. B	59. A	60. A

Test Aids




Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.

KRYTERION™

*Version: 18.0.0*

Salesforce Certified Platform Developer II - Multiple Choice

Time Taken: 114 minutes of 120 minutes total

Result: Pass

Topic	Percentage Correct
Advanced Developer Fundamentals	88%
Process Automation, Logic, and Integration	87%
User Interface	100%
Testing, Debugging, and Deployment	83%
Performance	72%

Congratulations! You have successfully completed the Salesforce Certified Platform Developer II Multiple Choice exam. Thank you for participating in the Salesforce Certification program.

Exit Test

Test Aids



Single Book



Multiple Books



Calculator



Pencil & Paper



Written Materials

Activate Windows
Go to Settings to activate Windows.