



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:48

1 of 65. Universal Containers has developed custom Apex code and Lightning Components in a Sandbox environment. They need to deploy the code and associated configurations to the Production environment.

What is the recommended process for deploying the code and configurations to Production?

- A. ☐ Use the Ant Migration Tool to deploy the Apex code and Lightning Components.
- B. ☒ Use Salesforce CLI to deploy the Apex code and Lightning Components.
- C. ☐ Use a change set to deploy the Apex code and Lightning Components.
- D. ☐ Use the Force.com IDE to deploy the Apex code and Lightning Components.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:41

2 of 65. A developer is designing a new application on the Salesforce platform and wants to ensure it can support multiple tenants effectively.

Which design framework should the developer consider to ensure scalability and maintainability?

- A. ☐ Flux (view, action, dispatcher, and store)
- B. ☐ Model-View-Controller (MVC)
- C. ☐ Waterfall Model
- D. ☒ Agile Development

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:35

3 of 65. A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default Opportunity record type, and set certain default values based on the record type before inserting the record.

How can the developer find the current user's default record type?

- A. ☐ Create the opportunity and check the `opportunity.recordType`, which will have the record ID of the current user's default record type, before inserting.
- B. ☐ Use the `Schema.userInfo.Opportunity.getDefaultRecordType()` method.
- C. ☐ Query the Profile where the ID equals `userInfo.getProfileID()` and then use the `profile.Opportunity.getDefaultRecordType()` method.
- D. ☒ Use `Opportunity.SObjectType.getDescribe().getRecordTypeInfos()` to get a list of record types, and iterate through them until `isDefaultRecordTypeMapping()` is true.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:29

4 of 65. A developer needs to confirm that a Contact trigger works correctly without changing the organization's data.

What should the developer do to test the Contact trigger?

- A. ☐ Use Deploy from the VSCode IDE to deploy an 'Insert Contact' Apex class.
- B. ☐ Use the Open Execute Anonymous feature on the Developer Console to run an 'insert Contact' DML statement.
- C. ☐ Use the New button on the Salesforce Contacts Tab to create a new Contact record.
- D. ☒ Use the Test menu on the Developer Console to run all test classes for the Contact trigger.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:22

5 of 65. What is the result of the following code?

```
Account a = new Account();  
Database.insert(a, false);
```

- A. ☐ The record will be created and a message will be in the debug log.
- B. ☐ The record will not be created and an exception will be thrown.
- C. ☐ The record will be created and no error will be reported.
- D. ☒ The record will not be created and no error will be reported.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:16

6 of 65. How should a developer write unit tests for a private method in an Apex class?

- A. ☐ Add a test method in the Apex class.
- B. ☒ Use the TestVisible annotation.
- C. ☐ Use the SeeAllData annotation.
- D. ☐ Mark the Apex class as global.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:11

7 of 65. What should be used to create scratch orgs?

- A. ☐ Sandbox refresh
- B. ☐ Developer Console
- C. ☐ Workbench
- D. ☒ Salesforce CLI

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



SALESFORCE



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:30:05

8 of 65. A custom Visualforce controller calls the `ApexPages.addMessage()` method, but no messages are rendering on the page.

Which component should be added to the Visualforce page to display the message?

- A. ☐ `<apex:message for="info"/>`
- B. ☒ `<apex:pageMessages />`
- C. ☐ `<apex:pageMessage severity="info" />`
- D. ☐ `<apex:facet name="messages" />`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:59

9 of 65. What should a developer use to fix a Lightning web component bug in a sandbox?

- A. ☒ Developer Console
- B. ☐ VS Code
- C. ☐ Execute Anonymous
- D. ☐ Force.com IDE

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:55

10 of 65. A developer needs to create a baseline set of data (Accounts, Contacts, Products, Assets) for an entire suite of tests allowing them to test independent requirements for various types of Salesforce Cases.

Which approach can efficiently generate the required data for each unit test?

- A. ☐ Add `@IsTest(seeAllData=true)` at the start of the unit test class.
- B. ☒ Create test data before `Test.startTest()` in the unit test.
- C. ☐ Create a mock using the Stub API.
- D. ☐ Use `@TestSetup` with a void method.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:49

11 of 65. What does the Lightning Component framework provide to developers?

- A. ☐ Support for Classic and Lightning UIs
- B. ☒ Prebuilt components that can be reused
- C. ☐ Templates to create custom components
- D. ☐ Extended governor limits for applications

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📅 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:45

12 of 65. What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. ☒ `FIND 'Universal Containers' IN Name Fields RETURNING lead(id, name), account(id, name), contact(id, name)`
- B. ☐ `SELECT Lead.id, Lead.Name, Account.Id, Account.Name, Contact.Id, Contact.Name FROM Lead, Account, Contact WHERE CompanyName = 'Universal Containers'`
- C. ☐ `SELECT lead(id, name), account(id, name), contact(id, name) FROM Lead, Account, Contact WHERE Name = 'Universal Containers'`
- D. ☐ `FIND 'Universal Containers' IN CompanyName Fields RETURNING lead(id, name), account(id, name), contact(id, name)`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:38

13 of 65. Universal Containers is developing a new Lightning web component for their marketing department. They want to ensure that the component is fine tuned and provides a seamless user experience.

What are some benefits of using the Lightning Component framework?

- A. ☐ Easy integration with third-party libraries
- B. ☐ Better performance due to client-side rendering
- C. ☐ Automatic support for accessibility standards
- D. ☒ Compatibility with all web browsers

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:32

14 of 65. Universal Containers has a support process that allows users to request support from its engineering team using a custom object, `Engineering_Support__c`.

Users should be able to associate multiple `Engineering_Support__c` records to a single Opportunity record. Additionally, aggregate information about the `Engineering_Support__c` records should be shown on the Opportunity record.

Which relationship field should be implemented to support these requirements?

- A. ☐ Lookup field from Opportunity to `Engineering_Support__c`
- B. ☒ Master-detail field from `Engineering_Support__c` to Opportunity
- C. ☐ Lookup field from `Engineering_Support__c` to Opportunity
- D. ☐ Master-detail field from Opportunity to `Engineering_Support__c`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:24

15 of 65. A lead developer creates an Apex interface called `Laptop`. Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the `Laptop` interface within the `SilverLaptop` class?

- A. ☐ `@Interface(class="Laptop")`
public class SilverLaptop
- B. ☒ `public class SilverLaptop implements Laptop`
- C. ☐ `@Extends(class="Laptop")`
public class SilverLaptop
- D. ☐ `public class SilverLaptop extends Laptop`

☐ Mark this item for later review.

Provide question feedback here (optional):



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:15

- 16 of 65.** A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of the new Apex helper class.

Change Set deployment to production fails with the test coverage warning:

"Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required."

What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. ☐ Increase the test class coverage on the helper class.
- B. ☒ Create a test class and methods to cover the Apex trigger.
- C. ☐ Run the tests using the 'Run All Tests' method.
- D. ☐ Remove the failing test methods from the test class.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:29:04

17 of 65. A developer must write an Apex method that will be called from a Lightning component. The method may delete an Account stored in the `accountRec` variable.

Which method should a developer use to ensure only users that should be able to delete Accounts can successfully perform deletions?

- A. ☐ `accountRec.isDeletable()`
- B. ☐ `Account.isDeletable()`
- C. ☐ `accountRec.sObjectType.isDeletable()`
- D. ☒ `Schema.sObjectType.Account.isDeletable()`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:28:55

18 of 65. Which Apex class contains methods to return the amount of resources that have been used for a particular governor, such as the number of DML statements?

- A. ☐ Messaging
- B. ☐ OrgLimits
- C. ☒ Limits
- D. ☐ Exception

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:28:48

19 of 65. While working in a sandbox, an Apex test fails when run in the Test Runner. However, executing the Apex logic in the Execute Anonymous window succeeds with no exceptions or errors.

Why did the method fail in the sandbox test framework but succeed in the Developer Console?

- A. ☐ The test method does not use `System.runAs` to execute as a specific user.
- B. ☒ The test method relies on existing data in the sandbox.
- C. ☐ The test method has a syntax error in the code.
- D. ☐ The test method is calling an `@future` method.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:28:42

20 of 65. Which code displays the contents of a Visualforce page as a PDF?

- A. ☐ `<apex:page contentType="application/pdf">`
- B. ☐ `<apex:page renderAs="application/pdf">`
- C. ☐ `<apex:page contentType="pdf">`
- D. ☒ `<apex:page renderAs="pdf">`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Time Remaining : 01:28:23

21 of 65. A developer must create a `CreditCardPayment` class that provides an implementation of an existing `Payment` class.

```
public virtual class Payment {  
    public virtual void makePayment(Decimal amount) { /*implementation*/ }  
}
```

Which is the correct implementation?

- A. ☐ `public class CreditCardPayment implements Payment {
 public virtual void makePayment(Decimal amount) { /*implementation*/ }
}`
- B. ☒ `public class CreditCardPayment extends Payment {
 public override void makePayment(Decimal amount) { /*implementation*/ }
}`
- C. ☐ `public class CreditCardPayment extends Payment {
 public virtual void makePayment(Decimal amount) { /*implementation*/ }
}`
- D. ☐ `public class CreditCardPayment implements Payment {
 public override void makePayment(Decimal amount) { /*implementation*/ }
}`

☐ Mark this item for later review.



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:28:15

22 of 65. Which statement describes the execution order when triggers are associated to the same object and event?

- A. ☐ Triggers are executed alphabetically by trigger name.
- B. ☐ Triggers are executed in the order they are created.
- C. ☒ Trigger execution order cannot be guaranteed.
- D. ☐ Triggers are executed in the order they are modified.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining : 01:28:07

23 of 65. Refer to the following code snippet for an environment that has more than 200 Accounts belonging to the 'Technology' industry:

```
for(Account thisAccount : [SELECT Id, Industry FROM Account LIMIT 150]){  
    if(thisAccount.Industry == 'Technology'){  
        thisAccount.Is_Tech__c = true;  
    }  
    update thisAccount;  
}
```

When the code executes, what happens as a result of the Apex transaction?

- A. ☐ The Apex transaction succeeds and all processed accounts are updated if no exceptions occur during the update.
- B. ☐ If executed in an asynchronous context, the Apex transaction is likely to fail by exceeding the DML governor limit.
- C. ☐ If executed in a synchronous context, the Apex transaction is likely to fail by exceeding the DML governor limit.
- D. ☒ The Apex transaction fails with the following message: `SOBJECT row was retrieved via SOQL without querying the requested field: Account.Is_Tech__c.`

☐ Mark this item for later review.



Salesforce Certified Platform Developer I

Time Remaining : 01:27:54

24 of 65. Universal Containers wants to back up all of the data and attachments in its Salesforce org once a month.

Which approach should a developer use to meet this requirement?

- A. ☐ Use the Data Loader command line.
- B. ☐ Schedule a report.
- C. ☐ Create a Schedulable Apex class.
- D. ☒ Define a Data Export scheduled job.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:48

25 of 65. In the following example, which sharing context will `myMethod` execute when it is invoked?

```
public Class myClass {  
    public void myMethod() { /* implementation */ }  
}
```

- A. ☒ Sharing rules will be inherited from the calling context.
- B. ☐ Sharing rules will not be enforced for the running user.
- C. ☐ Sharing rules will be enforced by the instantiating class.
- D. ☐ Sharing rules will be enforced for the running user.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:42

26 of 65. Universal Containers tracks customer complaints in a custom object, `Complaint__c`, that has a Master-detail relationship to the Contact that made the complaint.

Which field is needed to display the date of the most recent `Complaint__c` on the Contact's detail page?

- A. ☐ Formula field on Contact of the MIN Created Date of a `Complaint__c`
- B. ☐ Roll-up summary field on Contact of the MIN Created Date of a `Complaint__c`
- C. ☐ Formula field on Contact of the MAX Created Date of a `Complaint__c`
- D. ☒ Roll-up summary field on Contact of the MAX Created Date of a `Complaint__c`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:36

27 of 65. A developer creates a batch Apex job to update a large number of records, and receives reports of the job timing out and not completing.

What is the first step towards troubleshooting the issue?

- A. ☒ Check the asynchronous job monitoring page to view the job status and logs.
- B. ☐ Disable the batch job and recreate it with a smaller number of records.
- C. ☐ Check the debug logs for the batch job.
- D. ☐ Decrease the batch size to reduce the load on the system.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:29

28 of 65. Universal Containers needs to create a custom user interface component that allows users to enter information about their accounts. The component should be able to validate the user input before saving the information to the database.

What is the best technology to create this component?

- A. ☐ VUE Javascript framework
- B. ☐ Flow
- C. ☐ Visualforce
- D. ☒ Lightning Web Components

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:24

29 of 65. A business implemented a gamification plan to encourage its customers to watch some educational videos.

Customers can watch videos over several days, and their progress is recorded. Award points are granted to customers for all completed videos. When the video is marked as completed in Salesforce, an external web service must be called so that points can be awarded to the user.

A developer implemented these requirements in the after update trigger by making a call to an external web service. However, a `System.CalloutException` is occurring.

What should the developer do to fix this error?

- A. ☒ Move the callout to a class that implements `Queueable` and `Database.AllowsCallouts` Interfaces.
- B. ☐ Write a REST service to integrate with the external web service.
- C. ☐ Replace the after update trigger with a before insert trigger.
- D. ☐ Surround the external call with a try-catch block to handle the exception.

☐ Mark this item for later review.

Provide question feedback here (optional):



partner

Test Aids ▾

Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:17

30 of 65. A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. ☒ An error condition formula on a validation rule on Opportunity
- B. ☐ A record trigger flow on the Opportunity object
- C. ☐ An Apex trigger on the Opportunity object
- D. ☐ An approval process on the Opportunity object

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:11

31 of 65. In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. ☐ In the system debug log by filtering on Paused Flow Interview
- B. ☒ In the Paused Interviews section of the Apex Flex Queue
- C. ☐ On the Paused Flow Interviews related list for a given record
- D. ☐ On the Paused and failed Flow Interviews page under Setup > Process Automation

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📄 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:27:04

32 of 65. A Lightning component has a wired property, `searchResults`, that stores a list of Opportunities.

Which definition of the Apex method, to which the `searchResults` property is wired, should be used?

- A. ☐ `@AuraEnabled(cacheable=true)`
`public List<Opportunity> search(String term) { /*implementation*/ }`
- B. ☐ `@AuraEnabled(cacheable=false)`
`public static List<Opportunity> search(String term) { /*implementation*/ }`
- C. ☒ `@AuraEnabled(cacheable=true)`
`public static List<Opportunity> search(String term) { /*implementation*/ }`
- D. ☐ `@AuraEnabled(cacheable=false)`
`public List<Opportunity> search(String term) { /*implementation*/ }`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:55

33 of 65. A developer wants to get access to the standard price book in the org while writing a test class that covers an OpportunityLineItem trigger.

Which method allows access to the price book?

- A. ☐ Use `@IsTest(SeeAllData=true)` and delete the existing standard price book.
- B. ☐ Use `Test.loadData()` and a static resource to load a standard price book.
- C. ☐ Use `@TestVisible` to allow the test method to see the standard price book.
- D. ☒ Use `Test.getStandardPricebookId()` to get the standard price book ID.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📄 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:48

34 of 65. An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship.

How can this be achieved?

- A. ☐ Write a trigger on the Opportunity object and use tree sorting to sum the amount for all related child objects under the Opportunity.
- B. ☐ Use the Streaming API to create real-time roll-up summaries.
- C. ☐ Use the Metadata API to create real-time roll-up summaries.
- D. ☒ Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:42

35 of 65. Universal Containers has an order system that uses an Order Number to identify an order for customers and service agents. Order records will be imported into Salesforce.

How should the Order Number field be defined in Salesforce?

- A. ☐ Indirect Lookup
- B. ☒ Lookup
- C. ☐ External ID and Unique
- D. ☐ Direct Lookup

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:35

36 of 65. A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations.

Which type of Salesforce orgs should they use for their development?

- A. ☐ Developer sandboxes
- B. ☐ Developer orgs
- C. ☐ Full Copy sandboxes
- D. ☒ Scratch orgs

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:28

37 of 65. Which exception type cannot be caught?

- A. ☐ CalloutException
- B. ☒ LimitException
- C. ☐ A custom exception
- D. ☐ NoAccessException

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:19

38 of 65. A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. ☐ The `isAccessible()` method must be used for field-level access checks.
- B. ☒ Lightning Data Service handles sharing rules and field-level security.
- C. ☐ The `with sharing` keyword must be used to enforce sharing rules.
- D. ☐ Lightning Data Service ignores field-level security.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📄 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:10

39 of 65. A developer created this Apex trigger that calls `MyClass.myStaticMethod`:

```
trigger myTrigger on Contact(before insert)
{
    MyClass.myStaticMethod(trigger.new);
}
```

The developer creates a test class with a test method that calls `MyClass.myStaticMethod` directly, resulting in 81% overall code coverage.

What happens when the developer tries to deploy the trigger and two classes to production, assuming no other code exists?

- A. ☒ The deployment fails because the Apex trigger has no code coverage.
- B. ☐ The deployment passes because the Apex code has the required >75% code coverage.
- C. ☐ The deployment fails because no assertions were made in the test method.
- D. ☐ The deployment passes because both classes and the trigger were included in the deployment.

☐ Mark this item for later review.

Provide question feedback here (optional):



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:26:01

40 of 65. An Apex method, `getAccounts`, that returns a list of Accounts given a `searchTerm`, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the `getAccounts` method?

- A. ☐ `@wire(getAccounts, '$searchTerm')`
`accountList;`
- B. ☐ `@AuraEnabled(getAccounts, '$searchTerm')`
`accountList;`
- C. ☒ `@wire(getAccounts, { searchTerm: '$searchTerm' })`
`accountList;`
- D. ☐ `@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })`
`accountList;`

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:25:49

41 of 65. Which aspect of Apex programming is limited due to multitenancy?

- A. ☐ The number of active Apex classes
- B. ☐ The number of methods in an Apex class
- C. ☒ The number of records processed in a loop
- D. ☐ The number of records returned from database queries

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:25:36

42 of 65. Cloud Kicks Fitness, an ISV Salesforce partner, is developing a managed package application. One of the application modules allows the user to calculate body fat using the Apex class, `BodyFat`, and its method, `calculateBodyFat()`. The product owner wants to ensure this method is accessible by the consumer of the application when developing customizations outside the ISV's package namespace.

Which approach should a developer take to ensure `calculateBodyFat()` is accessible outside the package namespace?

- A. ☒ Declare the class and method using the global access modifier.
- B. ☐ Declare the class as public and use the global access modifier on the method.
- C. ☐ Declare the class and method using the public access modifier.
- D. ☐ Declare the class as global and use the public access modifier on the method.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📄 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:25:27

43 of 65. A developer created a weather app that contains multiple Lightning web components that are in different DOM trees.

One of the components, called Toggle, has a toggle for Fahrenheit or Celsius units. Another component, called Temperature, displays the current temperature in the unit selected in the Toggle component.

When a user toggles from Fahrenheit to Celsius or vice versa in the Toggle component, the information must be sent to the Temperature component so the temperature can be converted and displayed.

What is the recommended way to accomplish this?

- A. ☐ Use an application event to communicate between the components.
- B. ☐ The Toggle component should call a method in the Temperature component.
- C. ☐ Use Lightning Message Service to communicate between the components.
- D. ☒ Create a custom event to handle the communication between components.

☐ Mark this item for later review.

Provide question feedback here (optional):



partner

📄 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:25:17

44 of 65. Universal Containers has a large number of custom applications that were built using a third-party JavaScript framework and exposed using Visualforce pages. The company wants to update these applications to apply styling that resembles the look and feel of Lightning Experience.

What should the developer do to fulfill the business request in the quickest and most effective manner?

- A. ☒ Incorporate the Salesforce Lightning Design System CSS stylesheet into the JavaScript applications.
- B. ☐ Enable Available for Lightning Experience, Lightning Communities, and the mobile app on Visualforce pages used by the custom application.
- C. ☐ Set the attribute enableLightning to true in the definition.
- D. ☐ Rewrite all Visualforce pages as Lightning components.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:25:10

45 of 65. Ursa Major Solar has a custom object, `ServiceJob__c`, with an optional Lookup field to Account called `Partner_Service_Provider__c`.

The `TotalJobs__c` field on Account tracks the total number of `ServiceJob__c` records to which a partner service provider Account is related.

What is the most efficient way to ensure that the `TotalJobs__c` field is kept up to date?

- A. ☐ Create a schedule-triggered flow on `ServiceJob__c`.
- B. ☐ Create an Apex trigger on `ServiceJob__c`.
- C. ☒ Change `TotalJobs__c` to a roll-up summary field.
- D. ☐ Create a record-triggered flow on `ServiceJob__c`.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining : 01:24:59

- 46 of 65.** A Next Best Action strategy uses an Enhance element that invokes an Apex method to determine a discount level for a Contact, based on a number of factors.

What is the correct definition of the Apex method?

- A. ☒ @InvocableMethod
global static List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
- B. ☐ @InvocableMethod
global static ListRecommendation getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
- C. ☐ @InvocableMethod
global List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
- D. ☐ @InvocableMethod
global Recommendation getLevel(ContactWrapper input)
{ /*implementation*/ }

☐ Mark this item for later review.

Provide question feedback here (optional):



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:24:50

47 of 65. Universal Containers wants to automatically assign new cases to the appropriate support representative based on the case origin. They have created a custom field on the Case object to store the support representative name.

What would be the best solution for this requirement?

- A. ☒ Use a trigger on the Case object to assign the case to the appropriate support representative
- B. ☐ Use a time-based workflow rule to assign the case to the appropriate support representative
- C. ☐ Use a Process Builder to assign the case to the appropriate support representative
- D. ☐ Use a Flow to assign the case to the appropriate support representative

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾ ? Support Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:24:43

48 of 65. The sales management team at Universal Containers requires that the Lead Source field of the Lead record be populated when a Lead is converted.

What should be done to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. ☐ Create an after trigger on Lead.
- B. ☒ Use a validation rule.
- C. ☐ Use a formula field.
- D. ☐ Use Lead Conversion field mapping.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:24:35

49 of 65. Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. ☐ fireEvent()
- B. ☐ registerEvent()
- C. ☒ fire()
- D. ☐ emit()

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining : 01:24:26

50 of 65. Consider the following code snippet:

```
public static List<Lead> obtainAllFields(Set<Id> leadIds){  
    List<Lead> result = new List<Lead>();  
    for(Id leadId : leadIds){  
        result.add([SELECT FIELDS(STANDARD) FROM Lead WHERE Id = :leadId];  
    }  
    return result;  
}
```

Given the multi-tenant architecture of the Salesforce platform, what is a best practice a developer should implement and ensure successful execution of the method?

- A. ☐ Avoid returning an empty List of records.
- B. ☒ Avoid performing queries inside for loops.
- C. ☐ Avoid using variables as query filters.
- D. ☐ Avoid executing queries without a limit clause.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:24:18

51 of 65. A developer created a trigger on the Account object. While testing the trigger, the developer sees the error message 'Maximum trigger depth exceeded'.

What could be the possible causes?

- A. ☒ The trigger does not have sufficient code coverage.
- B. ☐ The developer does not have the correct user permission.
- C. ☐ The trigger is getting executed multiple times.
- D. ☐ The trigger is too long and should be refactored into a helper class.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:24:12

52 of 65. A developer wants to import 500 Opportunity records into a sandbox.

Why should the developer choose to use Data Loader instead of Data Import Wizard?

- A. ☐ Data Import Wizard can not import all 500 records.
- B. ☒ Data Import Wizard does not support Opportunities.
- C. ☐ Data Loader automatically relates Opportunities to Accounts.
- D. ☐ Data Loader runs from the developer's browser.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:24:08

53 of 65. Universal Containers (UC) uses a custom object called Vendor. The Vendor custom object has a master-detail relationship with the standard Account object.

Based on some internal discussions, the UC administrator tried to change the master-detail relationship to a lookup relationship, but was not able to do so.

What is a possible reason that this change was not permitted?

- A. ☐ Some of the Vendor records have null for the Account field.
- B. ☒ The Account object has a roll-up summary field on the Vendor object.
- C. ☐ The Account object does not allow changing a field type for a custom field.
- D. ☐ The organization wide default for the Vendor object is Public Read/Write.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Salesforce Certified Platform Developer I

Time Remaining : 01:23:56

54 of 65. A developer considers the following snippet of code:

```
Boolean isOK;  
integer x;  
String theString = 'Hello';  
  
if (isOK == false && theString == 'Hello'){  
    x = 1;  
} else if (isOK == true && theString == 'Hello') {  
    x = 2;  
} else if (isOK != null && theString == 'Hello'){  
    x = 3;  
} else {  
    x = 4;  
}
```

Based on this code, what is the value of x?

- A. ☐ 1
- B. ☐ 3
- C. ☐ 2
- D. ☒ 4

☐ Mark this item for later review.



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:23:48

55 of 65. How does the Lightning Component framework help developers implement solutions faster?

- A. ☐ By providing code review standards and processes
- B. ☐ By providing change history and version control
- C. ☒ By providing device-awareness for mobile and desktops
- D. ☐ By providing an Agile process with default steps

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:23:40

56 of 65. An org tracks customer orders using the Order and Line Item objects. The Line Item object has a master-detail relationship to the Order object.

A developer has a requirement to calculate the total order amount for an Order and the line amount on each Line Item based on quantity and price.

What is the correct implementation?

- A. ☐ Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.
- B. ☐ Write a single before trigger on the Line Item that calculates the item amount and updates the order amount on the Order.
- C. ☒ Implement the line item amount as a currency field and the order amount as a SUM formula field.
- D. ☐ Create a fast field update, record-triggered flow on the Line Item that calculates the item amount and order amount and updates the fields on the Line Item and the Order.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

Test Aids ▾

?Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:23:33

57 of 65. A developer is working on a project to import data from an external system into Salesforce. The data contains sensitive information that should not be visible to all users in Salesforce.

What should the developer do to ensure that the data is secure?

- A. ☐ Use the Data Import Wizard to import the data and set up field-level security to restrict access to sensitive fields.
- B. ☐ Use a third-party tool to encrypt the sensitive data before importing it into Salesforce.
- C. ☐ Use the Salesforce CLI to import the data and set up user permissions to restrict access to sensitive data.
- D. ☒ Use the Apex Data Loader to import the data and write Apex code to handle security and access control.

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...

Time Remaining : 01:23:16

- 58 of 65.** A developer must implement a `CheckPaymentProcessor` class that provides check processing payment capabilities that adhere to what is defined for payments in the `PaymentProcessor` interface.

```
public interface PaymentProcessor {  
    void pay(Decimal amount);  
}
```

Which implementation is correct to use the `PaymentProcessor` interface class?

- A. ☒ `public class CheckPaymentProcessor implements PaymentProcessor {
 public void pay(Decimal amount) {
 // functional code here
 }
}`
- B. ☐ `public class CheckPaymentProcessor implements PaymentProcessor {
 public void pay(Decimal amount);
}`
- C. ☐ `public class CheckPaymentProcessor extends PaymentProcessor {
 public void pay(Decimal amount);
}`
- D. ☐ `public class CheckPaymentProcessor extends PaymentProcessor {
 public void pay(Decimal amount) {
 // functional code here
 }
}`



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:23:05

59 of 65. A Salesforce administrator used Flow Builder to create a flow named "accountOnboarding". The flow must be used inside an Aura component.

Which tag should a developer use to display the flow in the component?

- A. ☐ aura-flow
- B. ☒ lightning:flow
- C. ☐ aura:flow
- D. ☐ lightning-flow

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



SALESFORCE CERTIFIED PLATFORM DEVELOPER I



partner

📄 Test Aids ▾ ? Support Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:22:57

60 of 65. Which statement generates a list of Leads and Contacts that have a field with the phrase 'ACME'?

- A. ☐ Map <sObject> searchList = [FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead];
- B. ☐ List <sObject> searchList = [FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead];
- C. ☒ List<List <sObject>> searchList = [FIND "*ACME*" IN ALL FIELDS RETURNING Contact, Lead];
- D. ☐ List<List <sObject>> searchList = [SELECT Name, ID FROM Contact, Lead WHERE Name like '%ACME%'];

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📄 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:22:45

61 of 65. The values 'High', 'Medium', and 'Low' are identified as common values for multiple picklists across different objects.

What is an approach a developer can take to streamline maintenance of the picklists and their values, while also restricting the values to the ones mentioned above?

- A. ☐ Create the Picklist on each object and add a validation rule to ensure data integrity.
- B. ☒ Create the Picklist on each object and use a Global Picklist Value Set containing the values.
- C. ☐ Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- D. ☐ Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:22:36

62 of 65. A team of many developers work in their own individual orgs that have the same configuration as the production org.

Which type of org is best suited for this scenario?

- A. ☐ Full Sandbox
- B. ☐ Partner Developer Edition
- C. ☐ Developer Edition
- D. ☒ Developer Sandbox

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:22:28

63 of 65. Refer to the following Apex code:

```
Integer x = 0;  
do {  
    x = 1;  
    x++;  
} while (x < 1);  
System.debug(x);
```

What is the value of x when it is written to the debug log?

- A. ☐ 0
- B. ☐ 1
- C. ☒ 2
- D. ☐ 3

☐ Mark this item for later review.



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:22:16

64 of 65. What can be used to override the Account's standard Edit button for Lightning Experience?

- A. ☐ Lightning action
- B. ☐ Lightning flow
- C. ☒ Lightning component
- D. ☐ Lightning page

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



partner

📋 Test Aids ▾

? Support

Exit Exam

Salesforce Certified Platform Developer I

Time Remaining : 01:22:08

65 of 65. Cloud Kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. ☒ An invocable method
- B. ☐ An Apex controller
- C. ☐ An outbound message
- D. ☐ An Apex REST class

☐ Mark this item for later review.

Provide question feedback here (optional):

Please Provide Feedback here...



Salesforce Certified Platform Developer I

Time Taken: 23 minutes of 105 minutes total

Result: Pass

Topic	Percentage Correct
Developer Fundamentals	76%
Process Automation and Logic	84%
User Interface	93%
Testing, Debugging, and Deployment	76%

Congratulations! You have successfully completed the certification exam to become a Salesforce Certified Platform Developer I. Welcome to the Salesforce worldwide community of Certified Professionals!

Exit Test